FALL. 1915

SPRING. 1916

KELSEY'S

Hardy American Plants, Rhododendrons. Azaleas. and Specimen Evergreens

Catalog of BOXFORD NURSERY Boxford, Massachusetts

Catalog of HIGHLANDS NURSERY 3800 FEET ELEVATION

Pineola, North Carolina

At Boxford Nursery (East Boxford P. O.), on the Georgetown branch of the B. & M. R. R., may be seen growing the choicest collection of specimen nursery stock, selected for the most discriminating buyers. Special attention is given to hardy native plants, which must always be the basis of suc-

nursery stock, selected for the most above. Special attention is given to hardy native buyers. Special attention is given to hardy native plants, which must always be the basis of successful permanent plantings.

SPECIMEN STOCK. There is a growing demand for fine specimen stock in Conifers, Rhododendrons, Kalmias, Andromedas and other evergreens, and Boxford Nursery is established to supply this need. Landscape architects, park and cemetery superintendents, and the owners of large estates will find it of great advantage to visit Boxford Nursery and personally select material in the nursery row.

PRICES are made to fit the quality ut. Few realize that the real value. PRICES are made to fit the quality of stock sent out. Few realize that the real value of nursery stock is largely underground. Frequent transplanting, and handling specimens with adequate, burlaped balls, means success and quick results. It costs more, but it is the fixed policy of the Boxford Nursery; and "cheap" stock will not be handled or sent out. The best is always the cheapest.

HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk steamship of stock sent

its are

To Landscape Architects, Parks, Cemeteries, Botanical Gardens, and other Public Institutions special discount of 10% will be allowed on prices in this catalogue.

SHIPPING BEGINS IN AUGUSI, when I send out large Rhododendrons, Kalmias and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November; and in spring from about March 1 to May 15. Give ship-

stock going out in October and November; and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to me, when I use my best judgment, but assume no risk. EXPORT SHIPMENTS reach the most remote countries in perfect condition. I have exported for over twenty-five years, and know how to pack. Quarantine and the great war, however, have left open practically only Holland and Great Britain to our shipments. shipments

our

our shipments.

DESCRIPTIVE CATALOGS, illustrated, are mailed on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants is gladly given. Send for "How to Grow Rhododendrons Successfully."

VISITORS ARE ALWAYS WELCOME. Boxford Nursery is easily reached by train or automobile, and Mr. Kelsey will be glad to meet prospective customers at the nursery by appointment. A visit to Boxford Nursery during the blooming season of Rhododendrons and Azaleas is especially worth while.

A visit to season of Ri worth while.

HARLAN P. KELSEY. Owner

Office, 287 Essex St. Telephone Connection

SALEM, MASS.

PART I.

CATALOG OF BOXFORD NURSERY

Note: All plants are transplanted and nursery-grown unless plainly marked otherwise,

The larger sizes are always shipped with balls and are burlaped, which means they will grow. Prices include all charges, packed free on board cars, Boxford, Mass., freight station.

Evergreen Trees and Shrubs

	E	ach	1	0	100	1,000
Ables arizonica. 4 ft	\$4	00				
brachyphylla. 4 ft	3	50				
concolor. White Fir.						
1 to 1½ ft	1	00	8	00		
2 to 3 ft	1	75	15	00		
3 to 4 ft						
5 to 6 ft						
6 to 8 ft			80	00		
8 to 10 ft			135	00		
10 to 12 ft				-		
12 to 14 ft						
14 to 16 ft						
the second of th						

Abies fraseri. Fraser's Fir. The northern species, Abies balsamea, is almost worthless in any but the latitude of middle and northern Malne, as it becomes "leggy," thin, and is short-lived. Fraser's Fir, however, a distinct species from the highest peaks of the Carolina mountains, makes a perfect specimen lawn and screen tree, with dark green, thick-set foliage (blue underneath) and compact, pyramidal habit. It is one of the choicest of all American conifers of the Fir section section.

Ables fraseri is destined to become one of the most popular and widely planted of Firs, and to meet this de-mand, we have them by thousands in all sizes.

	Eac	h 1	0	100		1,0	00
1 yr. S				4	00		00
1 to 2 ft	4.	5 4	00	30	00	100	-11
2 to 3 ft			00	80	00	700	00
3 to 4 ft			00	130	00		
8 to 10 ft							
10 to 12 ft							
12 to 14 ft							
		U					
nordmanniana. Nordmann's F		0 25	00				
3 to 4 ft,			00				
umbellicata. 4 ft			00				1 90
5 ft	7 0		00				
veltchi. 1½ to 2 ft			00				100
4 to 5 ft							200
5 to 6 ft							
6 to 8 ft		-					110

Andromeda (Pieris) floribunda. 2 to 4 feet. One broad-leaved American shrubs. Compact growth, with shining evergreen leaves and abundant racemes of showy white flowers in May. The next season's buds appear after the flowering season and give the plant the appearance of being in bloom the year round. My stock is all strictly American-grown and of finest quality. The imported Andromeda is very often difficult te establish. All plants are heavily budded.

	Each	10	100	1,000
6 to 9 in	80	7 00	60 00	
9 to 12 in		8 00	70 00	
1 to 11/4 ft	1 50	12 50	100 00	
11/2 to 2 ft	2 50	22 50		
ca. Japanese Fetter By	ish. T	his fin	e specie	s is of

laponio more upright growth than floribunda, the young foliage presenting striking shades of reddish pink early in the season. The flowers are in terminal racemes, and very showy.

1 to 1½ ft	\$1 5	0 \$10	00			
Arctostaphylos glauca. 2 to 4 in. uva-ursi. 1 yr. (pots)	5	0 5		40	00	
Buxus arborescens. Tree Box. 6 to 12 in	2 3		50 50		00	

Catalog of BOXFORD NURSERY

- Catalog of BOMI Of	ND .	NOK	SEK	I	
EVERGREEN TREES AND	SHE	RUBS	(conti	nue	ed)
Buxus suffruiticosa. Dwarf Box.	Eacl	1 . 10 .	100		1,000
3 to 6 in	. 15	1 00	7	00	60 00
Cedrus deodara. 3 yr. tr libani. 3 yr. tr.	35		20	00	
Chamaedaphne calvoulata	35	3 00	P. Land		
9 to 12 in	40			00	
1 to 1½ ft	50				
lawsoniana alumi. 2 ft	2 00			00	
lawsoniana veltchi, 31/4 ft	2 00				
Dendrium buxifolium. 3 to 9 in.	20	9 50		8	
Dendrium prostratum. Mo	untai	n Heat	h. G	rov	ws 6 to
Dendrium prostratum. Mo tains prostrate form of th work, evergreen, closely co bed of green. In full bloom striking effect; the delicate with pink. One of our choice	is be verin May whi	s. The autiful g the y or Jute flow	Carol genu surfa ine; p	ina is. ce prod are	moun- Rock- with a duces a tinged
with pink. One of our choice		. Prince F	, iccirco		
3 to 9 in	Each 50		100		1,000
Hypericum aureum, 1 to 11/4 ft.	30			00	1000
densifiorum. St. John's Wort.					
2 to 3 It	25		114	9	
llex glabra. 3 to 6 in. trans 1 yr. opaca. American Holly, 1 ft.	30 75		20	00	
Juniperus chinensis argentea.		0 00			
to 1½ ft	75 1 50	$\frac{6}{12} \frac{00}{50}$			100
chinensis procumbens		12 30			
1½ to 2 ft	1-00	9 00			
communis aurea. Golden Comm	non J 1 00	uniper. 8 50			
2 to 3 it	1 50	12 50			
Juniperus communis depre	ssa.				
	Each	10	100		1,000
Prostrate Juniper. 6 to 12 in diameter	F0	4.00			
1 to 1½ ft. diameter 1½ to 2 ft. diameter	50 75	6 00	30 50		
1½ to 2 ft. diameter 2 to 3 ft. diameter	$\frac{1}{1} \frac{25}{75}$	10 00	90	00	
3 to 4 ft. diameter	2 50	$\frac{15}{20} \frac{00}{00}$		00	CARRE
Larger specimens, up to	15 00				
Without doubt this is the Juniper for ground-over. I gravelly hillsides, fully exposible plants often reach a diametrial to the property of the control of t					
In shade it does well wh will not thrive, forming a than in the open. It varie pletely prostrate type to the feet high.	loose s in e asc	er cove form : eending	ring, from type	ho the	grass wever, com- 2 to 4
We have several thousand select from, up to 8 feet in	tran: diam	splante eter.	d spe	cim	ens to
communic prosterio o de se	Each		100		1,000
communis prostrata, 2 to 3 ft, japonica aurea, Golden Japanes 3 to 4 ft.	75 se Jui 3 00	6 00 niper. 25 00			
sahina Savin Tuninon		-5 00			
1 to 1½ ft	60 1 25 2 50	5 · 00 9 00 22 50	40 80 290	00	
tamariscifolia. Grey Carpet Jun 1 ft	niper. 1 00	9 00			
Virginiana Red Codor	2 50	20 00			
1 to 2 ft	60	5 00	40	00	
3 to 4 ft	1 00 1 50	$\begin{array}{ccc} 8 & 00 \\ 12 & 00 \end{array}$	100	00	
1 to 5 #+	2 00	18 00	160		
6 to 8 ft	3 50 6 00	30 00 50 00			
5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	9 00	80 00			
12 to 14 ft		110 00			

Catalog of BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS (continued)

plantings for New England conditions, giving an effect somewhat like the Italian cypress.

plantings for New England conditions, giving an elect somewhat like the Italian cypress.

As a background for rhododendrons, shrubbery and flowers, it is unequalled, except perhaps by the Carolina hemlock. It does not take the place of other evergreens, but holds a unique place for certain effects, and no other evergreen can take its place. Individuals vary in color from light and dark take its place. Ind green to steel-blue

We offer hundreds of transplanted specimens up to 20 feet in height. We also collect specimens with large balls in car-lots or less at prices according to selection, ordinarily

The ob

1.6

100 1.000

cents a foot in height.

Edit 19	100
Juniperus virginiana elegantissima. 3 to 4 ft	
virginiana glauca. Blue Virginia Cedar. 1½ to 2 ft. 1 50 12 2 to 3 ft. 2 50 22 3 to 4 ft. 3 50 30	50
virginiana globosa, 1 to 1½ ft. 1 50 1½ to 2 ft	
2 to 3 ft	

Kalmia latifolia. The Mountain Laurel. One of the grandest of our native broad-leaved southern mountains. In cultivation it is a broad, thick shrub, and, when in full bloom, of surpassing beauty. The wheel-shaped flowers in close terminal corymbs, pure white to pink, appear in May or June in such profusion as almost to smother the foliage. Its thick, shining leaves, conspicuous the year round, make it a shrub of greatest value for massing. The hardiness of Kalmia latifolia is beyond doubt, it being found sparingly in Nova Scotia and increasingly in abundance through New England and the middle Atlantic states (particularly in the higher altitudes), till the crest of (particularly in the higher altitudes), till the crest of the southern Alleghanies is reached. This is another of my specialties and my stock is

unequalled elsewhere.

	Each	10	100	1,000
1 to 1½ ft	60	5 00	40 00	
1½ to 2 ft	80	7 00	60 00	
2 to 3 ft	1 50	12 00	110 00	
3 to 9 in, clumps	75	6 00	50 00	
9 to 12 in. clumps	1 00	8 00		700 00
1 to 11/2 ft. clumps	1 25	10 00	90 00	800 00
136 to 2 ft. clumps	2 00	17 50	150 00	
2 to 3 ft. clumps	3 50	32 50	300 00	
3 to 4 ft. clumps	4 50	40 00	375 00	

Leucothoe catesbaei. Grows 3 to 8 feet. Few shrubsort have the grace of this one. The thick, shining green leaves are evenly disposed on long, recurved branches, with dense racemes of beautiful, white, bell-shaped flowers. As an under-shrub or for banks and the borders of rhoodeendron masses or along streams it is without a rival. The sprays make beautiful winter decorations indoors, turning a rich bronze in the fall where exposed to the sun. fa

6 to 12 in						
0 10 14 111	\$0 5t	0 \$4	00	\$30	00	
1 to 11/2 ft	7	5 6	50	60	00	
1½ to 2 ft	1 5	0 12	50	110	00	

100

immediate effect. immediate effect.
Pachysandra terminalis.
6 to 9 in. Each 10 100 1,000 1 75 15 00 25 (canadensis). White Spruce. Picea alba 1 25 2 00 10 00 17 50 to 3 ft. to 4 ft. $\bar{3}$ 160 00 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 10 ft. 10 to 12 ft. 3 50 4 50 30 00 40 00 7 00 60 00 9 00 20 0.0

15 alba aurea. 7 to 8 ft...... 20 00 alba glauca (Dwarf form).

11/2 1 4 ft. ft. 25 00 5 00 40 00 alcockiana. 3 to 4 ft. 1 25

KELSEY'S HARDY SPECIMEN EVERGREENS

Catalog of BOXFORD NURSERY

EVERGREEN TREES AND	, ,	HB	UB	s (cont	Inus	(be	10,0
THE ES AND	- 2	lach		3 (10	10			000
Picea conica. 5 to 6 ft			W		10	4."	2,0	,00
engelmanni, 6 to 8 in		15	1	00	8	00	60	00
excelsa. Norway Spruce. 4 to 5 ft	1	25	10	00				
koralensis. 1 yr. S		10	10	80		5 00	127	
mariana (nigra). Black Sprue	ce.			16	31/3			
2 to 3 ft	1		12	50				
3 to 4 ft	3			50	19(00		
orientalis, 2 to 3 ft	-2	00		00				
pungens. Green Colorado Spr	uce	9.					198	
5 to 6 in. tr. (F '14) 1 to 2 ft	1	00	8	00	75	00	60	00
2 to 3 ft	2	00	18	00	160	00		
4 to 5 ft		00		00		00		
5 to 6 It	- 6	00						
8 to 10 ft		00	10	00				
10 to 12 ft	12							
pungens kosteri. Koster's Blu 1 to 1½ ft	e	50	uce. 22	50	200	00		
1 to 1½ ft. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft	13	3 50	32	50				
3 to 4 ft	6	50		00	375	00		
rubra. Red Spruce.								
1 to 2 ft		75	6	90				
3 to 4 ft	3	00						
Pinus austriaca. Austrian Pine. 9 to 12 in. 1 to 1½ ft.								
1 to 1½ ft		30 50		50		00	175	00
banksiana (divaricata) Tack 1	Pin			•	-	•		266
3 to 4 ft. 4 to 6 ft.	1 2	00	18	00		00		
4 to 6 ft	3	50	30	00		00	13	
cembra. Swiss Stone Pine.	5	00	40	00				
9 to 12 in	1	00	8	00	70	00		79
1 to 1½ ft	1	50		50				
densifiora. Japanese Red Pine. 8 to 12 in. tr. (F. '14).	-	90		00				
8 to 12 in. tr. (F. '14). 1½ to 2 ft	4	20	8	50	12	00		
2 to 3 ft	1	00 50	12	00	$\begin{array}{c} 70 \\ 100 \end{array}$			
flexilis. Limber Pine		4.5						
2 to 4 in. tr	1	15	8	00 50	8	00	60	00
2 to 3 ft	1	50 00	12	00				
massoniana. 2 to 4 in	4	25	18	00 50	12	00	100	90
mughus. Dwarf Pine.			- 7	00		00	100	•0
4 to 6 in		25	1	50		00	100	00
1 to 1½ ft		60	8	00	40 70	00	10.79	
murrayana. Lodge-pole Pine.					7			
6 to 9 in	1	20	8	25	10		80	00
3 to 4 ft		00		00	70 160	00		
ponderosa. Bull Pine.								
4 to 6 in		25		50	12	00	100	00
1 to 1½ ft	- '	40		00		-		
2 to 3 ft	1	60 25	9	00				
pungens. Table Mountain Pine				+7			:33	
6 to 8 ft		50						3
resinosa. Red Pine.				2				24
2 to 4 in		20		25	10			
6 to 12 in		60		00	20 30			-
rigida. Pitch Pine.		00	*	00	30	00		- 2
1 to 1½ ft		15	1	00	8	00	1	F
1½ to 2 ft		25		00	16		Shar	- 1
2 to 3 ft	4	60		00	-			1
4 to 5 ft		50 50	12	00				4 3
A 40 0 VPI 11111111111111	4	UU						11.3

Catalog of BOXFORD NURSERY

EVERGREEN TREES AND	SHR	UBS	(conti	nue	d)
Pinus strobus. White Pine. 3 yr. S. 9 to 12 in. (bed) 6 to 9 in. 1 to 1½ ft. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 8 ft.	Each 10 20 35 60 1 25 2 50 6 00	1 3 5 10 20	00 25 00 45 00 80	00 00 50 00 00 00	1,000 8 00 40 00 110 00 200 00 400 00
sylvestris. Scotch Pine. 2 to 3 ft.	75 1 25 2 00 3 00 4 00	10 18 26	00 50 60 80 00 160 00 325	00	400 00
thunbergi. 4 to 6 in	25 1 25	1 10	50 12 00	00	100 00
Pseudotsuga douglasi (taxifolia). 1 to 1½ ft. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft.	Doug 60 1 00 1 50 2 00	5 8 12 18	Spruce 00 40 00 70 50 100 00	00 00	
Retinispora obtusa. 1 to 2 in. S. obtusa gracilis. 1 ft	15 75 2 00 2 00	6		00	40 00
obtusa pygmaea. 9 to 12 in. pisifera. 6 to 7 ft	1 50 4 00	12	50		

RHODODENDRONS

Rhododendron	arbutifolium (wilsoni).	-		10	
9 to	12 in	2	00	19	50 00

RHODODENDRON CAROLINIANUM

A New American Species

Absolutely Hardy. Clear Pink.

The smallest Alleghanian species; though wild, it attains a height of 15 feet and is wide-spreading. Leaves dark green, usually blunt and narrow, covered with rusty dots below, much smaller than either maximum or catawhiense. Flower-clusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hill-sides, standing exposure unusually well, and invaluable as a single specimen or for massing with the other species.

				10	100
9 to 12	in		 \$0 75	\$6 00	\$50 00
1 to 11/6	ft		 1 00	8 00	
1 to 11/	ft clumn	C .	 2 00	17 50	150 00
116 to 2	ft. clun	ips .	 3 50	32 50	300 00
2 to 3 ft.	clumps		 6 00	90 00	
3 to 4 ft.	clumps		 10 00	90 00	
4 to 5 ft.	clumps		 15 00		

RHODODENDRON CATAWBIENSE

Of the Carolina Mountains

The Hardiest of all Rhododendrons

It was this magnificent Rhododendron that over a hundred ears ago was introduced into Europe, supplying, together ith Rhododendron maximum and R. punctatum, color and It was this magnificent indoduction that years ago was introduced into Europe, supplying, togethe with Rhododendron maximum and R. punctatum, color and hardy blood to the cultivated "hybrids", but with a conse

"And to paint these home pictures we need chiefl American material. We must face this deadly parallel: need chiefly

"What We Really Plant. 70% European trees and shrubs and horticultural varieties. 20% Chinese and Japanese. 10% American.

"What We Ought To Plant. 70% American trees and shrubs, i. e., native to America. 20% Chinese and Japanese. 10% European and horticultural."

Wilhelm Miller, in "What England Can Teach Us About Gardening."

KELSEY'S HARDY SPECIMEN EVERGREENS

Catalog of BOXFORD NURSERY

EVERGREEN TREES AND SHRUBS (continued)

quent loss of hardiness; and so today, for American gardens, where ironclad hardiness is essential, we must turn to the true original species, found on the loftiest, coldest peaks of the southern Alleghanies, where it attains a height of 20 to feet

Considering the extreme hardiness, considering the extreme of the bardiness of temperature where other considering the extreme hardiness, considering the extreme hardiness and considering the extreme hardi flower, com-e, which is a better-known true native dense as the finest for general use, withstanding and extremes of temperature where other Rhodo Rhododen-

Do not confuse this true species, which is absolutely with the common so-called catawbiense hybrid seed freely imported from Europe, which is at best halfand even when branched above is a single stem, si bareness underneath for years. hybrid seedling sat best half-hardy showing

Unlike Rhododendron maximum, it is a very free bloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy, half-breed, imported variety noted above), and as sent out by Highlands Nursery is always on its own roots.

For massing to produce a broad-leaved evergreen land scape effect, there is no plant equal to it in the latitude of the northern United States and Canada, where strictly hard plants must be employed. As a rich, finished border to plan tations of the commoner Rhododendron maximum, the value hardy value Rhododendron catawbiense cannot be overestimated.

Do not compare our many-stemmed clumps with the single-stemmed, "bushy", half-hardy Rhododendrons offered by im-porters. There is no comparison.

	Each	10	100	1,000
3 to 6 in	30	2 00	18 00	
6 to 9 in	40	3 00	25 00	
9 to 12 in	50	4 00	35 00	
1 to 11/2 ft. clumps		17 00	125 00	
1½ to 2 ft. clumps		22 50	200 00	
2 to 3 ft. clumps			300 00	
3 to 4 ft. clumps			425 00	- WW
4 to 5 ft. clumps		75 00	100	Orthogra
5 to 6 ft. clumps				

Special selection at special prices.

Catawbiense hybrids. Hardiest varieties, including the following:

Album elegans, Anna Parsons, caractacus, catawbiense alba, everestianum, General Grant, Mrs. Milner, President Lincoln, Parsons' Gloriosa, purpureum elegans, roseum elegans and others, according to size and selection, \$1 to \$4 each.

RHODODENDRON MAXIMUM

The Great American Rosebay

Perfectly Hardy in the Latitude of Quebec

Rhododendron maximum is, without doubt, the noblest of American broad-leaved shrubs. It is found growing sparingly in New England and New York, more abundantly in the Pennsylvania mountains, but reaching perfection only in the southern Alleghany Mountains, where it grows in such luxuriance as to form a striking feature in the mountain landscape. Its large, waxy white or delicately pink flowers appear in large trusses in July, the latest of all the Rhododendrons, greatly enhancing its ornamental value as a broad-leaved evergreen for finished landscape effect.

Not even in Asia do Rhododendrons grow more luxuriantly than in our southern Alleghany Mountains, where they attain a height of 30 feet or more. They must be seen in their native lavishness of growth and bloom, on the mountain-sides or hanging over the dashing, ice-cold streams and waterfalls, to be properly appreciated, and a trip to the high Carolina mountains in spring and early summer is a nevertable-forgotten series of jux to the lover of nature to-be-fore

	E	ach	1	0	100		1,000
6 to 12 in		25	2	00	17	50	V 5765
1 to 1½ ft		40	. 3	00	25	00	
1½ to 2 ft		75	6	00	50	00	
2 to 3 ft		00	9	00	80	00	
6 to 12 in clumps		80	7	00	65	00	
1 to 11/2 ft. clumps	. 1	00	9	00	80	00	
11/2 to 2 ft. clumps	. 1	75	15	00	125	00	
2 to 3 ft. clumps	. 2	50	22	50			
3 to 4 ft. clumps			37	50			2002
4 to 6 ft. specimens, \$5 t							

Catalog of BOXFORD NURSERY

Cutalog of Boniton	13			***	1111		3.18	
EVERGREEN TREES AND	S	HR	UB	s (conti	nue	ed)	100
Tayle espedencia Consider Va	E	ach	. 1	10	100)	1,0	00
Taxus canadensis. Canadian Ye 3 to 6 in	w.	50	4	.00				
cuspidata brevifolia. Japanese		ew						
9 to 12 in		50		00				
tardiva. 2 to 3 ft		00	1 5 5	00				
Thuya occidentalis. American A		rvi	itae.					
1 to 1½ ft		30 60	5				10	
3 to 4 It		00	8	00	65	00		
4 to 5 ft	1	50	12	50				
2 to 3 ft	1	50	12	00	+			
occidentalis hoveyi. 1½ to 2 ft.	1	00	8	00				- 3
occidentalis pyramidalis		60	5	00	40	00	1	
1½ to 2 ft	1	00	8	00	70	00		
2 to 3 ft	$\frac{1}{2}$	50 00	12 18		110	00		
occidentalis sibirica (wareana)								
2 to 3 ft	1	50	12	50				
1 to 1½ ft	1	25	10	00				
5 to 6 ft	3	50						
1 to 1½ ft		60	5	00				
orientalis aurea pyramidalis.								3
orientalis elegantissima.		60						
1 to 1½ ft		50		00	30	00		
1½ to 2 ft	1	00 50	12		60	00		
Tilia europaea (vulgaris).	-	00	14	00				
12 to 14 ft	3	50 00	30					
heterophylla. 4 to 6 ft	1	00	8	00				
6 to 8 ft	1	50		00				
Tsuga canadensis. Canadian Her 2 to 4 in. tr.	nlo	ck. 15	1	25	10	00	90	00
4 to 6 in. tr	_	20	1	50	12	00		00
3 to 4 ft	1	$\frac{25}{75}$	10 15	00	$\frac{90}{140}$	90		
4 to 5 ft	3	00	27	50	250	00		
7 to 8 ft.	8	00	45 75	00	400 700			O
8 to 10 ft	10	00	90	00				
caroliniana. Carolina Hemlock		20	1	50	11	00	90	00
4 to 6 in	1	30	1	50 75		00	120	
4 10 9 11	6	00		00				33
5 to 6 ft	$\frac{10}{15}$	00	90 140	00				
7 to 8 ft		00		00				
heterophylla. 3 to 6 in		30	2	-				
mertenslana. 2 to 3 in sleboldi. 3 to 4 ft	e	30		50				
THE STATE OF THE S		00						
DECIDUOUS TREES	F	IN	D	SF	IRU	B	5	
	Es	ich		0	100		1,0	00
Acer dasycarpem. Silver Maple.							2,0	
12 to 14 ft	1		15				12	
dasycarpum weirl. Cut-leaved 12 to 15 ft. glnnala. 4 to 6 ft	2	50	20	00	laple.			
ginnala, 4 to 6 ft pictum, 4 to 6 in	1		7	50	65	00		
platanoides, Norway Maple		40	2	00				
4 to 5 ft	0	40		50		00	1	
6 to 7 It		60 75	6	00		00		
12 to 14 ft.	3	50	30	00				
rubrum. Red Maple.	-6	50	4	00				
rubrum. Red Maple. 3 to 4 ft. 4 to 5 ft.		75		00		3.1		
saccharum. Sugar Maple. 3 to 4 ft. 4 to 5 ft.	0	30	9	00	15	00	125	00
4 to 5 ft.		40	3	50	30	00.	250	
5 to 6 ft		50 65		50	50	00	1	
R		-					V	

Catalog of BOXFORD NURSERY

	STORY OF THE PARTY OF		and the second second	
DECIDUOUS	TOFFE	ANID	CHDIIDE	(continued)

		STATE OF		0.00000
	Each	10	100	1,000
Acer spicatum. Mountain Maple.	Transmitted.		(1) (1) (1) (1)	
1 to 1½ ft	30	2 00	WIND THE	-010000
2 to 3 ft	40	3 00	nerman	
Amelanchier botryapium. Shad I	Bush.		70,5,50	1000
2 to 3 ft	30	2 50	20 00	
3 to 4 ft	40	3 00	25 00	
4 to 6 ft	50	4 00	35 00	50077453
Amorpha nana, 6 to 9 in	50	4 00		100
Aralla spinosa. 3 to 4 ft	30	2 50	77.13	15 373
Aronia arbutifolia. 11/2 to 2 ft	65	5 00	40 00	1
3 to 4 ft	1 00	8 50	65 00	
erythrocarpa, Dwarf.				2300000
1½ to 2 ft	75	6 00		2:000
erythrocarpa, tall. 2 to 3 ft.	75	6 00	- 50	
melanocarpa. 1 to 2 ft	75	6 00		
melanocarpa elata. 1 yr. S	40	3 00		
melanocarpa grandiflora.	7.0	1.23		27.0898
1_yr. S	40	3 00		1000
nigra. Black Chokeberry.				
1 to 2 ft	40	3 00	27 50	11 4 4
2 to 3 ft	× 60	5 00	45 00	
Mark the second				

HARDY AZALEAS

The finest Azaleas in the world for permanent planting under American conditions are native species, including A. arborescens, A. vaseyi, A. lutea (calendulacea), the great flame-colored Azalea, and A. nudiflora, A. viscosa and A. canescens.

I have a stock of thousands of the finest plants in all sizes that will give immediate effect, and prices will be sent on request. It should be remembered that Azaleas play a very important part in the making of a permanent Rhododendronbed, but care must be used to avoid clashing of colors. I shall be glad to make up proper combinations for my customark.

Azalea arborescens. Fragrant White					3.23
Azalea al Dol escello. Azalea,	Ea	.ch		10	100
9 to 12 in	\$0	40	\$3	50	\$25 00
1 to 1½ ft	0.5	60	5	00	45 00
1 to 1½ ft. clumps	-1	50	12	50	100 00
1½ to 2 ft. clumps	2	50	22	50	200 00
2 to 3 ft. clumps	4	00	35	00	GP195.00
3 to 4 ft. clumps	6	00	50	00	
canescens, 1 to 11/2 ft			5		
gandavensis. Ghent Azalea. A much	- 3				
finer and more permanent variety					
than mollis.					9.55,430
2 to 3 ft. clumps	1	50	12	00	12.15

Azalea lutea. (calendulacea). Flame Azalea. This is the most striking shrub of our eastern states. Colors range from light sulphur-yellow to dark red. We have a large number selected and marked according to shade, and can supply them at 25 per cent increase in price. This is the

	Each	10	100	1,000
6 to 12 in	30	1 75	15 00	
1 to 1½ ft	50	3 00	27 50	
1½ to 2 ft	60	4 00	35 00	
9 to 12 in. clumps	25	2 00	17 50	
1 to 11/2 ft. clumps	80	7 00	60 00	405369
11/2 to 2 ft. clumps	1 50	10 00	10.000	75-360
2 to 3 ft. clumps		18 00		
3 to 4 ft. clumps		30 00	100	
4 to 5 ft. clumps	5 00	45 00		100
mollis. 1 to 11/2 ft	75	6 00	80 00	JAMES
1½ to 2 ft	1 00	8 00	70 00	0 = 9.0
2 to 3 ft	1 25	12 00	2 300	
nudifiora. Pinxter Flower.	pr. N.	100		111750
9 to 12 in	30	2 50	20 00	
9 to 12 in. clumps		5 00	40 00	
1 to 11/2 ft. clumps		7 00		
pontica. 6 to 9 in	25	2 00	18 00	

Azalea vaseyi. Southern Azalea. Delicate shell-textured the most charming Azalea known. Each 10 100 1,000 charming Azalea known.
9 to 12 in. 100 40 00 50 00 rming Azalea known.
9 to 12 in.
1 to 1½ ft.
1½ to 2 ft.
1 to 1½ ft. clumps
1½ to 2 ft. clumps
2 to 3 ft. clumps
4 ft. clumps 5 00 6 00 7 00 60 75 00 60 00 18 00 7 00 15 00 2 00 ĩ 00 75 60 00

Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND	sн	RU	BS	(cc	ntin	ued)	116
	Ea	g Di	1	240	100	9.500	1,000
Azalea viscosa. Early White Az	alea						
1 to 1½ ft	1	50 00		00	30	00	
	1	50		50		00	
2 to 4 ft. clumps		00	25	00			
Berberis aggregata. A new species collected by I. H. Wil-	38°						
son in Central China. Prob-							- 3
ably a fine hedge plant. 1 to 1½ ft		75	6	00			
canadensis. American Barber			٠	00			
1½ to 2 ft		75	6	00			5KW
Korea No. 6095, 2 yr. tr		50	7	40			2199
prulnosa. 10 to 12 in		50					10/25
repens. 4 to 6 in		40		00	25	00	
sanguinolenta. 8 to 12 in thunbergi. Japanese Barberry	,	40	9	00			
9 to 12 in.		20	1	75		00	
9 to 12 in		35 50		50	27 40	50 00	
1½ to 2 ft		60		50	50	00	
vulgaris. Common Barberry.					100		
6 to 9 in. S	- 4	15 30	2	75 50	20	00	30 0
2 to 3 ft		40		50	- 5		
Betula alba. European White Bi	rch.	40		00	-1		9.44
3 to 4 ft	1	40 50		00			
5 to 6 ft		75	5	00		00	
6 to 8 ft	1	00		00	60	00	
nigra (rubra). 2 to 3 ft papyrifera. 3 to 4 ft		40	3	00	95	00	200 0
populifolia. 4 to 5 ft		50	4		20	00	200 0
Caragana arborescens. 3 to 4 ft.		50	4	00			
arborescens cuneifolia. 2 yr.		25	2	00			
arborescens pendula. 6 to 9 in.	30	25	2	00			
Carpinus caroliniana (americana)				Bee		00	
3 to 4 ft		40 60	5	50 00		00	
6 to 8 ft		75	6			AV.	
Castanea pumila. Chinkapin.		50		50			
2 to 3 ft	-13	75		00			
Catalpa speciosa. 3 to 4 ft	O. H	25		00	15	00	
4 to 5 ft		35 50		00		M	
Cephalanthus occidentalis.	10		W	*			
2 to 3 ft		35		50			- 10
Cercidiphyllum japonicum. Kads	ura	T1	ee.	50			
4 to 5 ft	1	00		00	250		LAS
Chionanthus virginica. White Fr				00			
2 to 3 ft		50		00	30	00	
Clethra acuminata. Mountain Pe		40		00		14	
alnifolia Sweet Pepper Rusi					H.		NIN
1 to 11/4 ft. clumps		35 50	3	00	25	00	
2 to 3 ft. clumps Colutea arborescens. 6 to 12 in.		25		00			
Cornus florida. 1 to 11/2 ft		25		75			1495
florida rubra. Red-flowering	Dog		od.	00			Ve di
1 to 2 ft		50 75		00			23.00
mas. Cornelian Cherry.	1		19	00			
4 to 5 ft		75					
siberica alba. 3 to 4 ft		50	4	00			108
stolonifera. Red Osier Cornel		30	0	50	90	00	100
2½ to 3 ftstolonifera aurea. Yellow Osi	ier (20	00	
2 to 3 ft		65	5	00	40	00	47.79
3 to 4 ft.		80	7	00	60	00	145
Corylus rostrata. Beaked Hazel	nut.	25	1	75	15	00	
Cotoneaster horizontalis davidlan	a.	93		M		104	
6 to 12 in	. 1	50	12	50		1	100
Crataegus arkansana. 2 to 4 in	08	30					
	-370	-					

Catalog of BOXFORD NURSERY

Catalog of BOMFOR		0 1/2	DIC I	
DECIDUOUS TREES AND S	HRU	BS (co	ntinued)	
e e e	Cach	10	100	1,000
			100	1,000
Crataegus arnoldiana. 6 to 12 in	30	2 00	18 00	
coccinea. Scarlet Thorn.	0.5	0 00		
2½ ft	35	3 00		
crus-galli. Cockspur Thorn,	40		00.00	
2 to 3 ft	40	3 00	20 00	
4 to 5 ft	60	5 00	40 00	
glandulosa typica. 1½ ft	50	4 00		
monogyna. 1 to 2 in oxyacantha. English Thorn.	20	1 50		
	75	6 00		
	75	6 00		
oxyacantha, Paul's Scarlet. 2 to 3 ft	75	6 00		
	75	6 00		
	1 00	8 0111		
oxyacantha, Double White punctata. 1 to 2 ft	75	6 00	00.00	
2 to 3 ft.	30 45	2 50 3 50	20 00 30 00	
4 to 5 ft	60	5 00	30 00	
prunifolium. 2 to 4 in	20	1 50		
tomentosa. 6 to 8 in				
	20	1 50		
Cydonia (Chaenomeles) Japonica. 1 to 1½ ft.	30	2 00		
Japonica baltzi. 1 to 1½ ft	50	4 00		
maulei. 6 to 12 in	25	2 00		
maulel superba. 9 to 12 in	40	3 00	00.00	
Diervilla lutea. 2 to 3 ft	30	2 50	20 00	
rivularis. 1 yr. S	10	75		
sessilifolia. Bush Honeysuckle.				
6 to 12 in	20	1 50	8 00	60 0
2 to 3 ft	50	4 00	25 00	
Euonymus alatus. Winged Burnin	60 g Ru	sn. 5 00	40 00	
Euonymus alatus. Winged Burnin 1 to 1½ ft. 1½ to 2 ft.	1 00	8 00	70 00	
3 to 4 ft	1 75	15 00	120 00	
americanus. Strawberry Bush.				
1 to 1½ ft	40	3 50		
bungeanus. 2 to 3 ft	. 60	5 00		
europaea latifolia. 2 to 3 ft.	1 00	8 00		
3 to 4 ft	1 50	12 00		
obovatus. 1 to 2 ft	25	1 75		
sleboldianus. 6 to 12 in	75	6 00		
Forsythia fortunei. Golden Bell.				
2 to 3 ft	30	2 50	20 00	
3 to 4 It	50	4 00	30 00	
4 to 5 ft	75	6 00	50 00	
Intermedia. Hybrid Golden Bell	75	6 00		
5 to 6 ft	1 00	8 00		
	75	6 00		
sieboldi. 4 to 5 ft	1 00	8 00		
suspensa. Drooping Golden Be				
2 to 3 ft	35	3 00	25 00	
3 to 4 ft	50	4 00	35 00	
4 to 5 ft	75	6 00		
Fraxinus americana. 4 to 5 ft	40	3.50		
5 to 6 ft	60	5 00		
8 to 10 ft	1 00	8 00		
lanceolata (viridis). 6 to 8 ft.	75 1 25	6 00		
8 to 10 ft.	1 20	10 00		
Gaylussacia resinosa. 9 to 18 in "collected"				
nlants	15	1 00	8 50	
1 to 2 ft. "collected"	40	3 50	30 00	
Conieta tinatoria Woodwayen	40	3 30	30 00	
clumps	10	80	7 00	
1 to 1½ ft	35		20 00	
Gleditschia triacanthos.		4 50	10.00	
1 to 1½ ft	20 30	1 50 2 50	12 00 20 00	
2 to 3 it. Halesia tetraptera (carolinum). Si 1 to 2 ft. 2 to 3 ft. Hamamelis virginica, Witch Haze	ilver	Bell.	20 00	
1 to 2 ft.	40	3 00	29 00	
2 to 3 ft	60	5 00		
Hamamelis virginica. Witch Haze	el.	4 05	10.00	
1 to 1½ ft	20 30	1 25 2 00	10 00	
Hydrangea arborescens. Wild Hyd	irang	ea.		
Hydrangea arborescens. Wild Hydrangea to 1½ ft	30	2 50		
arborescens grandifiora.				
1 to 2 ft	40	3 50		

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of BOXFORD NURSERY

				نطعنة		
DECIDUOUS TREES AND SH	IRU	вѕ	(00	ntin	ued)
	ach		.0	100		1,000
	acii	-	. 0	100		1,000
**Hex monticola, Deciduous Holly, 2 to 3 ft	35	3	00	25	00	
verticiliata, Black Alder						
1 to 1½ ft	40		50		00	
2 to 3 ft	60 75		00	40	00	
Itea virginica. 1½ to 2 ft	40		00	20	00	
Jamesia americana. 1 to 1½ ft.	60		00		• •	
Kerria japonica. 1 to 2 ft	40		00	27	00	
Laburnum alpinum. 6 to 12 in	35	3	00			
Larix laricina (americana).						
3 to 4 ft	60		00			
4 to 6 ft			00			
	00		00			
Leucothoe racemosa. 1 to 1½ ft.	40		50	30	00	
1 1 to 2 ft	75	6	00			
recurva. Mountain Leucothoe.	40	2	00	95	00	
1 to 1½ ft. clumps Ligustrum amurense. Northern for		٥	vv	20	vv	
2 to 3 ft.	35	3	00	25	00	200,00
ibota. Ibota Privet. Perfectly ha	ardy					
1½ to 2 ft	20	1	50	12		
3 to 4 ft	35	3	00	25	00	
regelianum. Regal's Privet. 1 to 2 ft	35	3	00	25	00	
3 to 4 ft	65		00	20	00	
media. 2 ft	35	3	00	25	00	
ovalifolium. California Privet.						
1½ to 2 ft	20	1	50	10		
2 to 3 ft	40 25 -	3	00	20	00	£ .
Lonicera maachl. 3 to 6 in morrowl. Japanese Bush Honeys			00			
3 to 4 ft.	60	4	50			
4 to 5 ft 1	00		00			
muendeniensis. 6 to 12 in. S	25	2	00			
notha. 1 to 1½ ft	40	3	00			
segreziensis. 1 to 1½ ft	35	2	5 0			
tartarica. Tartarian Honeysucki	e. 35		00	O.E.	0.0	
1 to 2 ft	75		00	25	V.	
trichosantha. 9 to 12 in	40					
Malus. Flowering Crab.						
angustifolia. 1½ to 2 ft	40					
arnoldiana. 11/2 to 2 ft	50					
atrosanguinea. 1 to 2 ft	50	4	00			
baccata. 2 to 3 ft	40	3	00			
baccata aurantiaca.						
3 yr, 1 to 1½ ft	40	3	00			
baccata X malus. 3 yr. 1 to 1½ ft	40	3	00			
baccata X prunifolia.	30	9	00			
1 to 1½ ft	30	2	50	20	00	
cerasiformis rubra prunifolia.	•		00		00	
1 to 2 ft	40	3	00			
coronaria. 1 ft	40	_				
crataegifolia. 2 to 3 ft	40					
dawsoniana. 1 to 1½ ft	40	3	00			
denticulata. 1½ to 2 ft	40		00			
flora pieno. 3 yr. 6 to 9 in	40					
floribunda. 2 to 3 ft	40	3	00	25	00	
floribunda atrosanguinea.				*		
3 to 4 ft	75	6	00			
fusca. 1 to 2 ft	50					
ionensis. 1½ ft	60					
ionensis fl. plena. 6 to 12 in	60					
niedwetzkyana Red-flowering Cr	ab.					
1 to 2 ft	40	3	00			
3 to 4 ft	75	/ 6	00			
parkmanni (halliana).						
1½ to 2 ft	60		00			
3 to 4 ft	75	6	00			

12-

KELSEY'S HARDY SPECIMEN EVERGREENS

Catalog of BOXFORD NURSERY

	_			-		_		-
DECIDUOUS TREES AND	SH	RL	BS	(c	ontin	ued)	
mo 4	Es	ich	-1	n	100		1,0	00:
Malus prunifolia, 1 to 2 in		40	-	. •	***		2,0	
ringo. 1 to 1½ ft		40						
sargenti. 6 to 12 in		40	9	۸۵				
2 to 3 ft		60	ŏ	00				
sib. crab. transcendent.		-						
2 to 3 ft		40						
spectabilis. 3 to 4 ft		60	5	00	40	00		· ; ·
spectabilis riversi fl. piena.		• •				-		-
1½ to 2 ft		60						
sp. kashmere crab. 2 to 3 ft.		60						
sublobata. 2 to 3 ft		75						
toringo. 1 to 2 ft								
		40	_					
toringo var. incisa. 1½ to 2 ft.		60	Ð	00				
zuml. 2 to 3 ft.		75						
Menziesia pilosa. 1 to 2 ft		35	3	00				
Myrica cerifera. Bay-berry. 2 to 4 in								*
2 to 4 in.		10		80		00	50	00
3 to 12 in clumps		50	4	00		00		
gale. Sweet Gale. 1 yr. S. 9 to 18 in "collected"		05		40	3	00		-
		10		75		00	40	00
		ΨV		.75	0	00	40	00
Nyssa multiflora. Black Gum. 1 to 1½ ft		50		00				
		UU	4	vv				
Ostrya virginica. Ironwood.		35	. 3	00	25	00		
Oxydendron arboreum. Tree And	dro:			00	40	00		
1 to 2 ft		40	1a.	50	3.0	00	250	00
2 to 3 ft		60		00	00	00	200	00
3 to 4 ft		80	7	00				
4 to 5 ft		25	10	00				
Populus fastigiata. Lombardy Po	pla	r.						
5 to 6 ft		50		00		00		
8 to 10 ft	1	75 25		00		00		
7 to 8 ft		50		50	80	00		
Prunus bessevi 114 to 2 ft	-	40		50	95	00		
Prunus besseyi. 1½ to 2 ft maritima. 2 to 3 ft		40		.00	20	00		
pumila. Sand Cherry				. 00				
1½ to 2 ft		40	3	50	30	00		
2 to 3 ft		50		00		**		
3 to 4 it		75		00	50	00		
sargenti. 1 to 1½ ft		75						
tomentosa. 3 to 4 ft		50	4	00				
triloba. 3 to 4 ft		75						
Quercus bannesterl. 3 to 4 ft								
cerris. 4 to 5 ft	1	00						
macrocarpa. Mossy-Cup Oak.								
5 to 6 ft	1	25						
palustris. Pin Oak.								
4 to 6 ft		60		00				
6 to 8 ft.		00		00				
8 to 10 ft		75	15	00	125	00		
nistanoides (bississ) 4 to 0 to		00		0.0				
platanoides (bicolor). 1 to 2 ft.		50	4	00				
prinus. 6 to 8 ft		00						
8 to 10 ft		00						
rubra. 4 to 6 ft		50 75		00				
8 to 10 ft			0	00				
Rhamnus dahurica. 3 to 4 ft		50 40	9	00				
				00				
Rhodora canadensis. 2 to 3 ft		75	6	00				
Rhodotypos kerrioides. White Ke				F 0				
2 to 3 ft		40		50	~			
Rhus aromatica (canadensis). Sw	eet	-80	ent	ed	Sum	AC.		
1 to 2 ft.		25	1	80 75	15	00		
copallina, Upland Sumac.		-0	*	. 0	10	00		
3 to 4 ft.		30	2	00	18	00		2
glabra, 1 to 136 ft		20		50	12			
glabra. 1 to 1½ ft	t.	₩ U	1	00	14	00		
1½ to 2 ft.		25		00	18	00		-
1½ to 2 ft. 2 to 3 ft. 4 to 5 ft.		40	3	00	27			
Rosa blanda Wassian Daniel	1	60	5	00				
2 to 3 ft		40-	9	EΛ	20	00		
Rosa blanda, Meadow Rose. 2 to 3 ft. canina. 2 yr. 1 to 1½ ft carolina. 2 to 3 ft.		40- 20-		50 50	30 12			
carolina. 2 to 3 ft.		25	2	00	18	00		

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND	SHRU	BS (co	ntinued)	
in the second	Each	10	100	1,000
Rosa corlifolia. 8 to 10 in	-25	2 00	18:00	
glana. 4 to 6 in	25	2:00	18 00	
gymocarpa. 1 to 1½ ft	35	3 00		
humilis. 1 to 1½ ft.	30	2 50		
lucida. Glossy Rose. 1 to 1½ ft. 1½ to 2 ft.	30	2 50	20 00	
1½ to 2 ft	35	3 00	25 00 35 00	
2 to 3 it	45	4 00	35 00	
macrophylla. 3 to 6 in	- 30	2.50		
multiflora. 1 to 2 ft	25 40	2 00 3 50	30.00	
	60	. 5 00	••••	
nitida. 1 to 1½ ft	30	2 50	20 00	
nutkana hispida. 6 to 9 in	40 50	3.50	30 00	
rubiginosa. 2 to 3 ft	40	3 00	25 00	
3 to 4 ft	60	5 00	40 00	
rugosa. Japanese Rose.	40			
1 to 2 ft	40 50	3 50 4 50	30 00 40 00	
2 to 3 ft. 3 to 4 ft.	65	6 00	50 00	
rugosa alba. White Japanese 1 to 2 ft				
2 to 3 ft	40 60	3 50 5 00	30 00 40 00	`
semenovi. 4 to 6 in	40	3 00	20 00	
spinosissima. Scotch Rose.				
1 to 2 ft	60	5 00		
spinosissima penicillata. 8 to 6 in	50	4 00		
	30	4 00		
spinosissima pusilla. 1 to 1½ ft	50	4 00		
woodsi. 1 to 1½ ft	`40	3 00		
Rubus deliciosus. Rocky Mountai	in Fow	ering F	taspberr	у.
1 to 2 ft	60	5 00		
3 to 4 ft	35	3 00		
Salix acutifolia. 3 to 4 ft	25	2 00		
alba acutifolia. 2 to 3 ft	25	2 00		
alba bodfordiana. 2 to 3 ft	25	2 00		
alba X fragiles, male. 4 to 5 ft		3 00		
alba X purpurea. 3 to 4 ft ambigua. 2 to 3 ft	35	3 00		
amygdalina var. discolor.	25	2 00		
4 to 5 ft	30	3 00		
aurita x phylocifolia. 2 to 3 ft.				
bicolor. 2 to 3 ft		2 00		
bullata. 1 to 1½ ft		2 00		
caprea x cinerea. 3 to 4 ft		2 00		
caprea x nigricans. 1 to 1½ ft.	25 25	2 00		
		_ 00	,	
caprea x purpurea, female 3 to 4 ft.		3 00		
cinerea. 2 to 3 ft				
coerulea. 2 to 3 ft		2 00		
cordata. 3 to 4 ft		2 50		
daphnoides x eleagnus, male.	35	-		-
elaeagnus incana. 1½ to 2 ft.		2 00		
elacagnus linearis, male.				
1 to 1½ ft	- 35			
erdingeri (Fine). 4 to 5 ft				
glabra var. filicifolia or billeni (Fine) 1½ ft				
glabra tillacfolia. 1 to 11/2 ft	35	3 00		
glaucophylla. 2 to 3 ft				
gracistyla. (Fine). 1 to 11/2 ft.		2.50		
hastata, female. 1 to 11/2 ft		2 00		
hexandra. 2 to 3 ft		2 00		
holosericea. 2 to 3 ft	25	2 00		
2 to 3 ft.	25	2 00		
lucida. 3 to 4 ft	30	3 00		
myrtoides, female. 4 to 5 ft	40	3 50		

Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND SI	HRUB	S (co	ntinued)
	lach	10	100	1,000
Salix nigricans var. damascena.	35	3 00		
nigricans X phylicifolia.				
1½ to 2 ft	30	2 50		,
nigricans var. vibernoides.	50	4.00		
niobe weeping. 3 to 4 ft	40 60	3.00		
pentandra. 8 to 10 ft	35	5 00 3 00		
petyoldi. 2 to 3 ft	35	3 00		
piperl. 3 to 4 ft.	35	3 00	, .	1,53
pontederana, female. 2 to 3 ft. purpurea var. amplescecaules, n	35	3 00		
1 to 2 ft	25			
purpurea glaucescens. 1½ to 2 ft	35		1	1 1 1
purpurea Xagrandiflora.			,	
3 to 4 ft	40 35	2 00	•	
purpurea kerksi. 1½ to 2 ft purpurea lambertina. 4 to 5 ft.		3 00		
purpurea X sericea, female.				
2 to 3 ft	40 30	3 50 2 50		
repens argentea. 1½ to 2 ft.	30	2 30		
repens elatios, female. 2 to 3 ft.	30	2 50		
rosmarinifolia. 2 to 3 ft	30 25	2 50	16 00	
Russian Golden. 3 to 4 ft	30	2 50	10 00	,
sericea. 1½ to 2 ft	30	2 50		
sesquiteria. 2 to 3 ft	30	2 50		
sieboldiana. 2 to 3 ft viminalis. 4 to 5 ft	30 25	2 50		
viminalis. var. sangorica, male.	23	2 00		
1½ to 2 ft,	40			
vitelling van pendula 3 to 4 ft.	40		•	1
vitellina var. pendula aurea. 2 to 3 ft	30	2 50		. 4
Wisconsin weeping, 3 to 4 ft.	30	2 50	20 00	:
Sambucus canadensis. American E				
1 to 2 ft	35 40	3 00 3 50	20 00	· ;
2 to 3 ft	75	6 00		
canadensis acutiloba. 9 to 12 in.	40	3 50		
canadensis chiorocarpa.	40	0 50		
2 to 3 ft	40	3 50		
canadensis racemosa. 2 to 3 ft.	40	3 00		
3 to 4 ft	60 1 00	4 50		, .
canadensis racemosa sieboldiana	a.			
3 to 4 ft	. 75			-
Spiraea Anthony Waterer. 1 to 2 ft	40	3 50		
thunbergi. Snow Garland.	0.5	9.00	00.00	
1 to 2 ft	35 50	3 00 4 00	20 00 30 00	
* A AA A TO A TO A TO A TOWN A A TO			-10.00	\$1 m
van houttel. Bridal Wreath. 1½ to 2 ft	30 50	2 00 4 00	18 00 30 00	
tomentosa. Steeple Bush. 2 to 3 ft. clumps	FA	4 00	20.00	
	50	4 00	30 00	
Stephanandra flexuosa. 1 to 1½ ft. 2 to 3 ft.	25	2 00	16 00	
Stuartia pentagyna. Alleghany St	. 35 nartia	3 '00	. 27 50	,
3 to 6 in	29	2 00	16 00	
Styrax japonica. 8 to 12 in	25	2 00	15 00	
Symphoricarpus occidentalis. 1 to 1½ ft	40			
paucifiora. 1 to 1½ ft	40	3 50		
racemosus. Snowberry.	35	3 00	20 00	٠,
L CO A LC	30	5 00		

S

1,000

Gr.

Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBS (continued)

LILACS ON THEIR OWN ROOTS

Fine collection of some of the best and newest hybrids in specimen stock. It is only recently that Lliacs on their own Roots were obtainable.

Ordinary stock is grafted on Privet, which "suckers" badly, often crowding out and killing the grafted top and leaving a Privet instead of a Lilac. The Lilac is the queen of spring-flowering shrubs, and the new hybrids mark an epoch in horticulture. For a tall hedge or screen there is nothing better than the Lilac, and for this purpose the old-fashioned white and purple sorts make a charming combination.

double varities; S-single varieties.

	Each	10	100	
yringa Alphonse Lavelle, S. Ligh	it Lila	c.		-
3 to 4 ft	75	6 00	*	<i>1</i> .
Andre Dupont. 2 to 3 ft	75	6 00		
Charles X. S. Lilac. 1½ to 2 ft.	75	6 00		, .
3 to 4 ft	1 00	8 00		
Claude de La Reine. S Violet	1 50	12 50	٠.	
coerulea superba. S Blue.	1 00	10 00		
3 to 4 ft.	75	6 00		
3 to 4 ft	1 25 1 75	10 00		
5 to 6 ft	1 75	15 00		
Dame Blanche. D. White. 4 to 5 ft	4 00	0.00	1	
de Miribel. S. Purple.	1 00	8 00	•	
3 to 4 ft	1 00			,
EmHe Lemoine. D. 3 to 4 ft.	75			
Geant des Battailles. S. Brig	ht Dad	diah T	lloo	
3 to 4 ft	75	6 00	Hac.	
4 to 5 it	1 00	8 00		
5 to 6 It	1 50	12 00		
Japonica, S. Creamy White. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.				
5 to 6 ft	75 1 00	6 00 8 00		
6 to 8 ft.	1 25	19 00		
losikaea. S Purple, 4 to 5 ft.	60	4 50		
Josikaea. S Purple. 4 to 5 ft 5 to 6 ft	1 00	8 00		
Jeanne Morie. 3 to 4 ft	1 00	8 00		
. 4 to 5 ft	1 25			
Leon Simon, D. Bluish Lilac.				
4 to 5 ft				
Ludwig Spaeth. S. Dark Crim 1½ to 2 ft. 2 to 3 ft.	son Pu	irple.		
1½ to 2 it	50	4.00		
		6 00		
Marechal de Bassomplerre. D. 4 to 5 ft. Marle Legray. S. Pure White 2 to 3 ft. 3 to 4 ft.	1 00	Carmi 8 00	ne.	
Marie Legray. S. Pure White	2.	0 00		4
2 to 3 ft	75	6 00		
	1 00	8 00		
Mme. Abel Chatenay. D. Whi	te.	6 00		
Mme. Dupont. 3 to 4 ft	1 00	0 00		
4 to 5 ft		12 50		
Mme. Lemoine. D. White.		••		
2 to 3 It	75	6 00	,	,
Mons La Page. Semi-Double I	Blue.			
4 to 5 ft	1 50	12 50		
negro. S. Deep Violet Purple 2 to 3 ft. 3 to 4 ft. persica. S. Light Purple. 3 to 4 ft.				
2 to 5 It	1 95	8 00 10 00		
nersica S Light Durnio	1 20	10 00		
3 to 4 ft.	1 00			
	Crimso	n Purn	la	
2 to 3 ft	75		-01	
Princess Alexander. S. Pure	White.			
Princess Alexander. S. Pure 3 to 4 ft	75			
2 to 3 ft	tose.	6 00		
4 to 5 ft	1 25	10 00		
Red Coral. 5 to 6 ft	1 50	••		
Rubra de Marley. S. Purplish	Red.	0.00		
3 to 4 ft	1 00	8 00		
4 to 5 ft	1 50	5 50		
saugeana. Reddish Lilac.	1 00	0.00		
3 to 4 It	1 00	8 00		

Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND SI	HRL	BS	(00	ntin	ued)
E	Cach	10	0	100		1,000
Syringa Senator Volland. D. Mage	nta	Lila	c.			
4 to 5 ftverschaffeltl. S. Dark Red.	1 25					
3 to 4 ft,	1 00		00	_		
4 to 5 ft	1 25	10		* .		
villosa S White, 3 to 4 ft. virginite. D. Soft Pink.	75	6	00			
3 to 4 ft	75		00			
4 to 5 It	1 00		00			
Viviand-Morel. D. Light Blue F 2 to 3 ft	urpi 75	е.	00	,		
Volcan. S. Dark Ruby.						
2 to 3 ft	75		00		and:	€.
1 to 2 ft	30		50	20	00	2
2 to 3 1t	40	3	50	30	00	
3 to 4 ft	60		00	40	00	1 -
vulgaris alba: S. Common Wh 1 to 2 ft. clumps	40		50	30	00	
Ulmus americana, 1% to 2 ft	15	1	25		00	
3 to 4 ft	30 40	. 2	00		00	120 00 180 00
7 to 8 It	60	5	00	40	00	275 00
8 to 10 ft	1 00 1 50	8 14	00	60 125	00	
14 to 16 ft	2 50		•		•	
•	2 00	18				
	1 00 30		00 50	20	00	
racemosa. 1½ to 2 ft	40		50	. 20	· VV	
Vaccinium corymbosum.		•	••			1
1 to 1½ ft	40	3	50	30	00	
1½ to 2 ft	60		00		00	
	1 00		00		00	:
	2 00 3 50	18 30		175	00	t o
	4 50	40				- "
erythrocarpon. 1 to 1½ ft	50		00	0		å
pallidum. 1½ to 2 ft	40	3	00	25	00	. 7
2 to 3 ft	60		00	45	00	
stamineum. 1 to 2 ft Viburnum acerifolium. 1 to 2 ft.	40 35		00			Į.
alnifolium. 1 to 2 ft	50		00	35	00	
cassinoides. 1 to 1½ ft	30	-	00		00	
1½ to 2 ft	40	3	00		50	
2 to 3 ft	50		00		00	
3 to 4 ft	75	-	00		00	
dentatum. 2 to 3 ft	40 75		00		00	300 00
	1 25	12		50	00	500 00
lantana. 2 to 3 ft	60		00			
3 to 4 ft	75	-	00			
lentago. 6 to 10 in. tr	20		50	12	00	
molle. 1 to 2 ft	50 75		00			
2 to 3 ft	40		00			,
opulus (oxycoccus). 1 to 2 ft.	30		00			
2 to 3 ft	50		00	30	00	
3 to 4 ft	60		00			¢
opulus nanum. 4 to 6 in	40		00		50	
6 to 12 in clumps plicatum. 6 to 12 in	75 30	-	00	ĐŪ	00	
1 to 1½ ft	40		00			
prunifolium. 1 to 1½ ft	35		00			
tomentosum. 1 to 2 ft	40		50			
2 to 3 ft	75		00			٠,
4 to 5 ft	1 00 30		00 50	20	00	
1½ to 2 ft	60		00		00	300 00
Xolisma ligustrina. 1½ ft	30		00		00	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of BOXFORD NURSERY

VINES AND CLIMBING PLANTS

VARIED AND CHIM	LASELY	<u> </u>	LIFELY	
Actinidia arguta. Silver Vine. 1 to 1½ ft		10 4 00	100	1,000
polygama. 1½ to 2 ft	50. 1 00	4 00 9 00		
Akebia quinata. strong	4	4 00		
Ampelopsis quinquefolia engelma		carlet		
Virginia Creeper.				
Strong, quinquefolla (virginica). Virg	inia Cr	3 50	30.00	
2 to 3 ft., heavy	50	4 00		
2 to 3 ft., heavy quinquefolia vitacea. 2 to 3 ft. veitchi. Boston Ivy. Strong.	75 50	4 00	35 00	
Aristolochia sipho. Dutchman's		* 00	00 00	
Aristolochia sipho. Dutchman's 1½ to 2 ft	30	2 50		
0 LO 4 II	50 75	4 00 6 00	30 00	
5 to 6 ft	1 00	8 00		
3 to 4 ft., heavy	30 40	2 50 3 50	20 00	
scandens. Bittersweet. 2 ft.	25	2 00		
		2 00	5 00 15 00	
neavy,	40	3 50	30 00	
senatifolia. 1 yr. S tangutica. 1 yr. S	15 15	1 25 1 25	10 00	
virginiana. 1 yr. S	10	70	4 00	30 00
heavy to 1½ ft.	1 00	3 50 8 00		
radicans, broad-leaved, Climb-	2 00	0 00		
ing Euonymus	40	3 50	30 00	
vegetus. 1 to 1½ ft Lonicera belgica.	50 40	4 50 3 50		
lananiaa ballaana TTalka TTa	neysucl	tle.	00.00	100.00
sempervirens. Coral Honeysus 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. Lyclum chinense. 2 to 3 ft	30 ckle.	2 50	20 00	160.00
1½ to 2 ft	-30	2 50		
3 to 4 ft	40 60	3 00 5 00		
Lyclum chinense. 2 to 3 ft	30	2 50	20 00	
		1 75	15 00	
Dorothy Perkins. 11/2 to 2 ft.	25	1 75	15 00	
Lady Gay, 11/6 to 2 ft	25 25	1 75	15 00 15 00	
Dorothy Perkins. 1½ to 2 ft. Dorothy Perkins. 1½ to 2 ft. Farquhar. 2 to 3 ft. Lady Gay. 1½ to 2 ft. setigera. Prairie Rose. 3 to 4 ft. Wm. C. Egan. 1 to 2 ft. Rubrus laciniatus. 1 to 2 ft.				1
Wm. C. Egan. 1 to 2 ft	50 25	4 00 1 75	35 00	
Rubrus laciniatus. 1 to 2 ft	40	3 50		
Tecoma capreolata (crucigera).	30	2 00		4
Tecoma capreolata (crucigera). Cross Vine. grandiflora. Trumpet Vine.	75	6 00		
radicans	20	1 50	12 00	
Vitis aconitifolia dissecta. 1 to 1½ ft. 3 to 6 in.	30	2 50	20 00	1
	20	1 50	12 00	,
concord. 3 yr. strong	20 50	1 50 4 00	12 00	
cordata. 6 to 12 in	25	2 00		
discolor. 2 to 3 ft.	20 40	1 50 3 00		•
heterophylla. 1½ to 2 ft	25	2 00		•
3 to 4 ft	75 1 00	6 00 8 00		
concord. 3 yr. strong cordata. 6 to 12 in cordiformis. 1½ to 2 ft discolor. 2 to 3 ft 2 to 3 ft 3 to 4 ft heterophylia tricolor. 6 to 9 in. Large Black Grane	25	2 00		:
Large Black Grape. 1 to 1½ ft	20	1 50	10 00	
Vulpina. 1 to 1½ ft	1 50	/1 50	10 00	
chinensis alba. 1½ to 2 ft	- 60	5 00		
Vulpina. 1 to 1½ ft	$\frac{1}{1} \frac{00}{00}$	8 00 8 00		
		_		
Hardy Herbaceo	us	Pere	ennia	ıls
	Foob	10	100	

Astronomical But Burns	Each	10		1,000
Actaea rubra. Red Baneberry	\$0.30	\$2 00	\$15 00	
Amsonia amsonia	20	1 75	12 00	
Anemone Japonica, Queen Char-				
lotte	25	2 00	15 00	
Whiriwind	25	2'00	15 00	
Aralia racemosa	20	1 75	12 00	
Armeria robusta	20	1.75	12 00	
Aruncus aruncus	- 20	1 25	. 10 00	

KELSEY'S HARDY SPECIMEN EVERGREENS

Catalog of BOXFORD NURSERY

HARDY HERBACEOUS PERENNIALS (continued)

				e .
	Each	10	100	1;000
Asarum arifolium	35	3 00 1 25		
Asters, in variety	40	3 00	10 00	
spectabilis nenco				
go. Heavy clumps Blcuculla (Dicentra) eximia. Wild Bleeding Heart. spectabilis. Bleeding Heart. Caitha palustris. Marsh Marigold Carex fraseri. Evergreen Sedge	30	2 50	15.00	
Wild Bleeding Heart	20	1 50	12'00	
spectabilis. Bleeding Heart	35	3 00		
Caitha palustris. Marsh Marigold	20	1 25 1 75	10 00	
Cassia marviandica	20	1 50	15 00 12 00	
Cassla marylandica	20	1 50 1 25	10 00	
Chelone glabra. Turtle-Head	20 20	1 50 1 50	12 00 12 00	
Chrysanthemums, Hardy	25	2 00	15.00	
Cimicifuda americana	20	1 50	12 00	
racemosa. Black Snakeroot	20	1 50	12 00	* .
racemosa. Black Snakeroot Convallaria majalis. Lily-of-the Valley	15	- 1 00	8:00	1
Coreopsis verticiliata	15	1 00	8 00	
Cornus canadensis. "Collected"	20	1 25	10.00	
clumps	20	1 20	TO:00	
HIOWET	15	1 25	10 00	
reginae. Showy Lady's Slippe 1 to 2 crowns 3 to 4 crowns	er. 30	2 50	20 00	
3 to 4 crowns	. 75	6.00	50 00	
5 to 6 crowns 7 to 8 crowns	1 25	10 00	80 00	
7 to 8 crowns	1 75	15.00	12 00	
Dodecatheon. Shooting Star:	Ameri	can Co	wslip.	Among
Dicentra spectabilis Dodecatheon. Shooting Star; the most charming early w	ild flox	vers.	The spe	cies of-
fered are easily grown in t	orders	where	they a	re sub-
ject to drought after bloom	10	100		
clevelandi. Tall-growing form,				
with pure white or	#1 00	64 00		
delicate pink flowers. hendersoni. Another of the	\$1.00	, 94 UU		
best species with red				
flowers	. 1 00	4 00		
patulum. White, pale cream- color or rarely pinkish	1 00	4 00		
		4 00		
radicatum. Flowers deep rose	1			
radicatum. Flowers deep rose	1			
radicatum. Flowers deep rose	1		small.	bulbous
radicatum. Flowers deep rose	1		small,	bulbous flowers;
radicatum. Flowers deep rose	1		small; ge and l in coo	bulbous flowers; l, moist
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along with	8 00 8 00 These n folia masses stream their	THOUGHOU	ACCUTUS:
radicatum. Flowers deep rose color color Frythronium (Dog's Tooth Vio plants are extremely hands but to get best results sho woodlands or borders or earliest spring flowers and make a fine, early ground-colors.	1 50 1 00 let). some i uld be along , with	8 00 8 00 These n folia massed stream their n shady	locatio	ns.
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with over in	8 00 8 00 These n folia massed stream their n shady	locatio	ACCUTUS:
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with sover in	8 00 8 00 These n folia massed stream their n shady	locatio	1,000
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with sover in	8 00 8 00 These n folia massee stream their n shady	locatio	1,000
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with over in Each	8 00 8 00 These n folia massee stream their n shady	locatio	1,000
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with cover in Each	8 00 8 00 These n folia massee stream their n shady	locatio 100 12 00	1,000
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with over in Each	8 00 8 00 These n folia; masses stream their n shady n 10	locatio 100 12 00	1,000
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with over in Each	8 000 8 00 These n folia massed stream their n shady 1 10 1 50	100 12 00 2 00	ns. 1,000
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with over in Each	8 00 8 00 These n folia; masses stream their n shady n 10	100 12 00 2 00	1,000
radicatum. Flowers deep rose color C	1 50 1 00 let). some i uld be along , with over in Each	8 000 8 00 These m folia: masses stream their n shady 1 10 1 50	7 locatio 100 12 00 2 00 2 00	1,000 1,000 16 00
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along, with Each	8 000 8 000 These n folia: masses stream their n shady 1 10 50 50	7 locatio 100 12 00 2 00 2 00 4 00	16 00 16 00 16 00
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along, with Each	8 000 8 00 These m folia: masses stream their n shady 1 10 1 50	7 locatio 100 12 00 2 00 2 00 4 00	16 00 16 00 16 00
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with bover in Each	8 000 8 000 These n folia: masses stream their n shady 1 10 50 50	7 locatio 100 12 00 2 00 2 00 4 00 4 00	16 00 16 00 35 00
radicatum. Flowers deep rose color C	1 50 1 00 1 00 1 00 1 00 1 00 1 00 1 00	8 00 8 00 These n folia masses their n shady 1 10 1 50 50 1 00 1 00	7 locatio 100 12 00 2 00 2 00 4 00 4 00	16 00 16 00 16 00 35 00 35 00
radicatum. Flowers deep rose color	1 50 1 00 let). some i uld be along , with bover in Each	8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 0	7 locatio 100 12 00 2 00 2 00 4 00 4 00	16 00 16 00 16 00 35 00 35 00
radicatum. Flowers deep rose color	1 50 1 00 1 00 1 00 1 00 1 00 1 00 1 00	8 00 8 00 These n folia masses their n shady 1 10 1 50 50 1 00 1 00	7 locatio 100 12 00 2 00 2 00 4 00 4 00 2 50	16 00 16 00 16 00 35 00 35 00 16 00
radicatum. Flowers deep rose color	1 50 1 00 1 00 1 00 1 00 1 00 1 00 1 00	8 00 8 00 These n folia, masses stream their n shady 1 10 1 50 50 1 00 1 00 1 00	7 locatio 100 12 00 2 00 2 00 4 00 4 00 2 50	16 00 16 00 16 00 35 00 35 00 16 00
radicatum. Flowers deep rose color	1 50 1 00 1 00 1 00 1 00 1 00 1 00 1 00	8 00 8 00 These n folia, masses stream their n shady 1 10 1 50 50 1 00 1 00 1 00	7 locatio 100 12 00 2 00 2 00 4 00 4 00 2 50	16 00 16 00 16 00 35 00 35 00 16 00
radicatum. Flowers deep rose color	1 50 1 00 1 00 1 00 some i uld be along along Each	8 00 8 00 These n folia, masses stream their n shady 1 10 1 50 50 1 00 1 00 1 00	7 locatio 100 12 00 2 00 2 00 4 00 4 00 2 50	16 00 16 00 16 00 35 00 35 00 16 00
radicatum. Flowers deep rose color	1 50 1 00 1 00 1 00 some i uld be along , with over i Each	8 00 8 00 These n folia masses stream their n shady 1 10 1 50 50 1 00 1 00 1 00 1 00	7 locatio 100 12 00 2 00 2 00 4 00 4 00 2 50 4 00	16 00 16 00 35 00 35 00 35 00 35 00
radicatum. Flowers deep rose color	1 50 1 00 1 00 1 00 some i uld be along , with over i Each	8 00 8 00 These n folia, masses stream their n shady 1 10 1 50 50 1 00 1 00 1 00	7 locatio 100 12 00 2 00 2 00 4 00 4 00 2 50 4 00	16 00 16 00 35 00 35 00 35 00 35 00
radicatum. Flowers deep rose color	1 50 1 00 1 00 1 00 1 00 1 00 1 00 1 00	8 00 8 00 These of folia: masses stream their of 10 10 10 10 10 10 10 10 10 10 10 10 10	7 locatio 100 12 00 2 00 2 00 4 00 4 00 2 50 4 00 4 00	16 00 16 00 16 00 35 00 35 00 35 00 35 00
radicatum. Flowers deep rose color	1 50 1 00 1 00 1 00 1 00 1 00 1 00 1 00	8 00 8 00 These of folia: masses stream their of 10 10 10 10 10 10 10 10 10 10 10 10 10	7 locatio 100 12 00 2 00 2 00 4 00 4 00 2 50 4 00 4 00	16 00 16 00 16 00 35 00 35 00 35 00 35 00 35 00
radicatum. Flowers deep rose color Color Drosera rotundifolla. Erythronium (Dog's Tooth Vio plants are extremely hands but to get best results sho woodlands or borders or earliest spring flowers and make a fine, early ground-calbidum. Leaves not mottled Flowers white, yellow at base americanum. Bright yellow Leaves mottled white Common throughout eastern states californicum. Cream-colored often 4 to 5 on a stem, mottled leaves citrinum. Light yellow, or ange at center, tips becoming pink glganteum grandiflorum. Bright yellow with unmottled leaves hartwegi. Yellow, each flower on a separate stall hendersonl. Flowers light purple with dark center. purpurascens. Small, spread ing flowers crowded in a raceme; ligh yellow, becoming purplish. Smallest species. revolutum. Pink, becoming purplish. Smallest species. revolutum ageratoides. White Snakeroot	1 50 1 00 let). some i uld be along , with over i . Each	8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 0	7 locatio 100 12 00 2 00 2 00 4 00 4 00 4 00 4 00	16 00 16 00 16 00 35 00 35 00 35 00 35 00 35 00
radicatum. Flowers deep rose color	1 500 1 000	8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 0	7 location 100 12 00 2 00 2 00 4 00 4 00 2 50 4 00 15	16 00 16 00 35 00 35 00 35 00 35 00 35 00
radicatum. Flowers deep rose color Color Color Drosera rotundifolla. Erythronium (Dog's Tooth Vio plants are extremely hands but to get best results sho woodlands or borders or earliest spring flowers and make a fine, early ground-called flowers white, yellow Leaves not mottled Flowers white, yellow Leaves mottled white Common throughout eastern states californicum. Cream-colored often 4 to 5 on a stem, mottled leaves citrinum. Light yellow, or ange at center, tips becoming pink glganteum grandiflorum. Bright yellow with unmottled leaves hartwegi. Yellow, each flower hartwegi. Yellow, each flower hendersoni. Flowers light purple with dark center. purpurascens. Small, spread in a raceme; ligh yellow, becoming purplish. Smallest species. revolutum. Pink, becoming purple Eulalla gracillima Eupatorlum ageratoides. Whitest golden.	1 50 1 00 let). some i uld be along , with over i . Each	8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 0	7 location 100 12 00 2 00 2 00 4 00 4 00 2 50 4 00 15	16 00 16 00 35 00 35 00 35 00 35 00 35 00
radicatum. Flowers deep rose color	1 500 1 000	8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 0	7 locatio 100	16 00 16 00 35 00 35 00 16 00 35 00 35 00

Catalog of BOXFORD NURSERY

HARDY HERBACEOUS PER	ENNI	ALS (d)
Habenaria ciliaris. Yellow Orchis	Each	10 1 00	100	1,000
Helenium autumnale .	15 15	1 00	8 00 8 00	
Helonias bullata. Swamp Pink.	20	1 25	10.00	
Hemerocallis, Gold Dust	20 20	1 50		
middendorflana Orangeman Olaboldi	20	1 50 1 50		
sieboldi thunbergi	20	1 50	12 00	
thunbergi	20	1 50	0.00	
sanguinea, Coral Bells	15 20	1 00 1 25	8 00 10 00	
Heracleum japonicum	75	6 00		
Heuchera americana sanguinea, Coral Bells Heracleum Japonicum Hibiscus, Mallow Marvels, Assorted colors Crimson Eye Hydrastis candensis Golden	50	4 00		•
Hibiscus, Crimson Eye	20	1 25	10 00	
dolden				
Seal	15 20	1 00 1 50	8 00 12 00	
Iris cristata	20	1 50	12 00	
pseudacorus	20 20	1 50 1 50	12 00	
numila	20	1 50	12 00	
sibirica, Snow Queenvernaversicolor. Blue Flag.	20	1 50	12 00	
versicolor Rine Floor	20 15	1 50 1 00	12 00 8 00	
Latinaria bumila, Button Snake-		1 00	0 00	
rootpycnostachya	20	1 50	12 00	
spicata	20 15	1 50 1 25	12 00 10 00	
Lillum auratum, Gold-banded Lil	V.	1 40	10 00	
Lillum auratum. Gold-banded Lil 8 to 9 in. 9 to 11 in.		1 50	12 00	
bolanderi		2 00 5 00	18 00 40 00	
canadense. Wild Yellow Lily.		5 00	40 00	
2d size 1st size		60	5 00	36 00
1st size		1 00	7 00	60 00
canadense rubrum. 1st size candidum. Madona Lily		2 00 1 25	18 00 10 00	80 00
carolinianum. Carolina Lily.				00 00
ZQ SIZE		1 00 1 25	7 00 10 00	60 00
columbianum. 2nd size		2 00	16 00	
carolinianum. Carolina Lily. 2d size		3 50	25 00	F0 00
1st size		1 00 1 25	6 00 10 00	50 00 80 00
hansoni (maculatum)		7 00	60 00	00 00
humboidti. 7 to 8 in		10 00 3 00	80 00 20 00	160 00
henryi humboldti. 7 to 8 in		3 50	25 00	180 00
9 to 11 in		6 50	45 00 25 00	
kellogi		3 50 6 50	25 00 45 00	
maritimum pardalinum. Single Heavy		6 50	45 00	
Heavy		1 50 2 00	12 00 16 00	
		6 50	45 00	
Large parviflorum		8 00 2 00	70 00	
parvum. Medium		2 00 3 50	16 00 25 00	
Large		3 50 6 50	45 00	
philadelphicumroezli		75 3 50	6 00 25 00	50 00
ruheccene		6 50	45 00	
speciosum album. 8 to 9 in 9 to 11 in.		2 00 3 50	18 00 25 00	160 00 220 00
speciosum melpomene.		5 50	20 00	220 00
8 to 9 to		1 50	12 00	100 00
9 to 11 inspeciosum rubrum. 8 to 9 in		$\frac{2}{1} \frac{00}{50}$	16 00 12 00	140 00
9 to 11 in,		2 00	12 00 16 00	100 00 140 00
superbum. Turk's-Cap Lily.				
3d size		40	2 00	18 00
ist size		75 1 00	5 00 8 00	30 00 60 00
tenuitolium. Siberian Coral				
tigrinum fl. pl. Double form. wallacel. Dwarf species. washingtonlanum. 7 to 8 in		1 50 1 00	12 00 8 00	100 00
tigrinum fl. pl. Double form.		1 00	8 00	60 00 60 00
wallacel. Dwarf species		1 50	12 00	
8 to 9 in		2 50 4 00	20 00 30 00	
8 to 9 in 9 to 12 in.		5 00	40 00	
Limogorum (Calopogon) nuichel-	20	1 50		
Lycopodium, in variety	15	1 50 1 00	12 00 8 00	
Lysimachia nummularia Lythrum salicaria roseum	15	1 00	8 00	
Opuntia vulgaris	20 35	1 50 3 00	12 00	
_		5 50		

Catalog of BOXFORD NURSERY

HARDY HERBACEOUS PER	RENNIALS (continued)	
Paeonles, in variety, Strong	75 6 00 50 00	
Strong plants, with 2 or	25 1 75 15 00	0
Panax quinquefolium. 3d size	60 5 00 35 0	
2d size	1 25 10 00 90 0	
Papaver nudicaule	20 1 50 20 1 50 12 00	
Petasites fragrans Phlox decussata, in variety, subulata. Moss Pink subulata alba. White Phlox Polygonatum Col-	30 2 00 18 00 15 1 00 8 00	
subulata alba. White Phlox Polygonatum commutatum. Sol-	15. 1 00 8 00 7	
omon's Seal Pontederia cordata. Pickerel	20 1 50 12 00	
Weed	15 1 00 8 00 15 1 00 8 00	
Porteranthus (Gillenia) stipulacea Ranunculus repens	20 1 50	
Rudbeckia newmani	20 1 50 12 00 15 75 6 00 36 0	9 -
Sanguinaria canadensis. Bloodroot Sanguinaria is shipped entirely at consignee's		
risk. Sangulsorba canadensis	20 1 25 10 00	
Sarracenia drummondi	25 1 75 15 00 25 1 75 15 00	
flava	25 1 75 15 00	
psittacina		
Plant	20 1 25 10 00 25 1 75 15 00	
rubra variolaris (minor) Sedum (Stonecrop), in variety.	25 1 75 15 00 15 1 00 8 00	
spectabile	20 1 50 12 00 20 1 50 12 00	
Semperviyum acuminatum Single	20 1 50 12 50 20 1 25 10 00	
cornutum. Single	20 .1 25 . 10 00	
arechnoloeum. Slingle	20 1 25 10 00 20 1 25 10 00	
Single	20 1 25 10 00	
tectorum. Single	20 1 25 10 00 20 1 25 10 00	
Ist size	40 3 00 25 09 75 6 00 50 00-	
Solidago, in variety	15 1 25 10 00 90 00 50 4 00 30 00)
Stenanthlum robustum. Moun- Feather Fleece. 2nd.		
size	20 1 50 12 00 40 3 00 26 00	
Stokesia cyanea	15 1.00 8 00 25 1.75	
Trillium cernuum	15 1 00 8 00	
erectum. Erect Wake-Robin.	10 40 3 00 18 00	
erectum album	15 75 5 00 15 1 00 8 00	
grandiflorum. 2nd size 1st size	10 30 1 50 12 00 15 60 3 50 20 00	
nivaleovatum	20 1 00 8 00 15 75 5 00 30 00) -
ovatumrecurvatumsessile. Snow Queen	15 75 6 00 50 00 15 75 6 00 50 00 15 75 6 00 50 00	
sessife californicum	15 75 6 00 50 00 15 75 6 00 50 00	
stylosum. Nodding Trillium 2nd size	10 60 4 00 . 30 00	
1st size	15 75 6 00 50 06 Painted Wake-Robin.	
2nd size	10 60 4 00 30 00	
Thallctrum cornut!	15 75 6 00 40 00 15 1 00 8 00	
Typha latifolia. Cat-tail	15 1 00 8 00 20 1 25 10 00	
Viola cornutapedata	15 1 00 8 00 60 00 15 1 00 8 00	
yucca flaccida. Clumps	25 1 75 14 00 50 4 00	
glauca. Adam's Needle. Green	30 2 50	

SEND FOR
"HOW TO GROW RHODODENDRONS
SUCCESSFULLY"

Catalog of BOXFORD NURSERY

Hardy Native Ferns

Sizes following Ferns indicate the expected to attain under cultivation.	size	the	plan	t	may be
Eac	ch I	10	100		1,000
hair Forn 8 to 20 in	\$1 Dag	00 ger	\$8 Fern	50	\$75"00
Aspidium (Dryopteris) acrosticholdes. 8 to 20 in. brauni. 16 to 36 in cristatum. 1 to 2 ft.	. 1	75 50	6 12	00	50 00
cristatum clintonianum.					
16 to 52 in	1	. 00 . 50	12 12	50 50	
24 to 40 in marginalis. Shield Fern.	1	. 50	12	50	
munitum, Chamissos Shield		75	6	00	50 00
noveboracensis. New York		2 00			
spinulosa. Spinulose Shield		75	6	00	
spinulosa dilatatum. Broad	1	00	8	00	
thelypteris. Marsh Shield		50	12		
Fern Asplenium angustifolium. 3 to 4	1	00	8	00	
in. ebeneum, 9 to 18 in fillx-foemina. Lady Fern.	1	25	10 8	00 00	
16 to 40 in	1	00	8	00	
thelypteroides. Silvery Spleenwort. 2 to 3 ft	1	00	8	00	
trichomanes. Maiden hair Spleenwort. 3 to 8 in.	1	00	8	00	
Botrychium ternatum dissectum obliquum. 4 to 16 in		L 00 L 00		00	
Botrychlum ternatum dissectum obliquum, 4 to 16 in. virginianum. Virginia Grape Fern. 1 to 2 ft	1	00		00	
ing Fern 4 to 12 in		25	10		
Chellanthes fendlerl. Lip Fern Cystopteris bulbifera. Bladder Fern. 1 to 2 ft fragilis. Brittle Fern.		00			
fragilis. Brittle Fern.		75		00	
Dicksonia punctilobula. Hay- scented Fern. 20 to 40	1	L 00	8	00	
Lygodium palmatum, Climbing	1	L 00	8	00	60 00
Onoclea sensibilis. Sensitive		L 50	12	50	
Fern. 4 to 12 in struthiopteris. 2 to 10 ft		L 00	8	00	60 00
Ophiogicssum vulgatum, 2 .to	:	1 00	8	00	
42 in		1 50	10	00	100.00
claytoniana. Clayton's Fern.					
gracilis. 2 to 6 inregalls. Royal Fern. 12 to 63		1 50		00	100 00
regalis. Royal Fern. 12 to 63 in. Pellaea atropurpurea. Purple-	:	1 50	12	00	
stemmed Cliff Brake		1 50	40		
densa		1 50 1 00		00	
	:	1 50	12	00	
Phegopteris dryopteris. Oak Fern. 6 to 10 in	:	1 00	8	00	
Fern. 7 to 12 in		1 00		00	
Polypodlum falcatum, 6 to 15 in.		1 00	10	00	
hexagonoptera. Broad Beech Fern. 7 to 12 in polypodloides. 4 to 8 in Polypodlum falcatum. 6 to 15 in. vulgare. Polypody. 3 to 6 in. Pteris aquillina. Common Brake 4 to 36 in. Scolopendrum vulgare Woodsla livensis. Bratty Woodsla		75		00	
Scolopendrium vulgare		75 3 00		00	
obtusa. Blunt-lobed Wood-		1 00		00	
sia. 8 to 20 in		1 00	8 12	00 50	
Woodwardia angustifolia virginica. Virginia Chain Fern. 24 to 64 in		1 00		00	
				, ,	

Catalog of HIGHLANDS NURSERY

CATALOG OF HIGHLANDS NURSERY

PART II

At my Highlands Nursery, Pineola, North Carolina, 3,800 ft, elevation, on the crest of the Alleghany Mountains, one may see Rhododendrons, Azaleas, Leucothoes, Kalmias and Andromedas growing in all sizes by tens of thousands in single species, and nowhere else can be found such a collection of rare American plants of unquestionable hardiness—the best for American gardens.

The Carolina Mountains is the native home of the most beautiful Broad-leaved Evergreens and Ericaceous Shrubs. Highlands Nursery not only ships direct to customers, but is a great propagating plant, supplying material for my Boxford Nursery.

ford Nursery.

DECIDUOUS AND EVERGREEN Trees, Shrubs, and Woody Vines NOTE.-All plants are transplanted and nursery

unless plainly marked otherwise.				9.01111,
This is a catalog of nursery-gr	own p	lants	growing	at my
Highlands Nursery, Pineola, Nort	Each	onna,	100	1,000
*Ables concolor, 6 to 12 in	\$0 20	\$1 25	\$10 00	1,000
1 to 1½ ft	30:	2 50	20 00	
Abies fraseri. 3 to 6 in	10	50		30 00
1 to 2 ft.	15 35	75 2 00	6 00 18 00	50 00 150 00
2 to 3 ft	75	5 00		300 00
3 to 4 ft	1 50	12 50		600 00
Acer rubrum. 2 to 3 ft	2 50 20	20 00	150 00	
3 to 4 ft	30	1 50 2 00		
saccharum. Sugar Maple.	00	2 0,0		
6 to 12 in,		50		25 00
1 to 2 ft		60		40 00
2 to 3 ft	25	75 1 25	10 00	50 00
4 to 6 ft	- 40	3 00		
spicatum. 1 to 2 ft	20	1 00	8 50	
2 to 3 ft	35 50	2 00 3 50		
3 to 4 ft	75	4 00		
Aesculus octandra. 6 to 12 in.				
seedlings	10	50	4 00	
1 to 2 ft	20	75	€ 00	
clumps	50	3 00	25 00	
rugosa. 2 to 3 ft	25	1 50		
Amelanchier botryapium.				
1 to 2 ft	15 20	75 1 00		
3 to 4 ft	25	1 25		
4 to 6 ft	35	2 00	17 50	
6 to 8 ft	50	4 00		
8 to 10 ft	75 1 00	6 00 8 00		
Amorpha fruiticosa. 2 yr. S	30	2 00		
montana, 1 to 2 ft	25	2 00		
nana. 3 to 6 in. S	25	2 00		
Ampelopsis quinquefolia engelman		75	6 00	50 09
Strong	25	1,25		90 0 9
*Andromeda (Pieris) florib				
Andronieda (1 leris) Horio			400	* 000
6 to 12 in	Each 1 00	10 8 00	100 70 00	1,000
1 to 11/4 ft	1 50	12 50	100 00	
Aralla spinosa. 1 to 2 ft	2 00	18 00	170 00	
Aralia spinosa. 1 to 2 ft	25	1 50		
Aronia arbutifolia. 6 to 12 in 1 to 2 ft	20 30	1 25 1 75		
2 to 3 ft	40	2 50		
3 to 4 ft	75	4 00		
erythrocarpa, Dwarf Varlety.	9.5	0.00		1
1 to 2 ft	35 50	2 00 3 00		
3 to 4 ft	75	5 00		
erythrocarpa, Tall Variety.				
2 to 3 ft	50	4 00		

Cat	alog of	HIGHL	ANI	os	NUI	RSER	Y
DECIDU		EVERGR				HRUB	S AND
Aronia: nie	ora. Shi	ning black	frinit	ach		100	
-, " . ",	1 to 2 1 2 to 3 ft.		• • • •	20 35 60 75	1 25 2 00 3 50	10 00 17 50 32 50))): - 9 0-00
	4 to 5 It.	AZA		10	5 00		
A-alas?	منسماست	Erro	arant	737h	ite.		
Azalea'	Arbores 6 to 12 in	cens.	E:	ach 35	10 \$2 00	100 \$17 50	1,000
	l to 1% f	t	***	60	3 50 5 00	32 50	
	6 to 12 in	. clumps	1	00 25	6 00 8 50	50 00 75 00	
	1½ to 2 2 to 3 ft.	ttt	2	00	15 00 30 00	125 00	
Azalea	lutea. }	reat Flam	Azal	ea.			
	6 to 12 in to 11/2 f	1 t	***	25 40	1 50 2 50	12 50 22 50	100 00
1		t t,		50	2 50 3 00 7 50	25 00 60 00	225 00
(2 +0 39. in	011111111111111111111111111111111111111		E 0	3 00 6 00	25 00	225 00
1	1½ to 2 2 to 3 ft.	ft. clumps.	1	00 50	8 50 12 50	75 00 100 00	
3	3 to 4 ft. 4 to 5 ft.	ft. clumps ft. clumps clumps clumps clumps clumps clumps	$ \begin{array}{ccc} & 1 \\ & 2 \end{array} $	75 25	15 00 20 00	140 00	
nudifior	a. Pinxto to 12 i	er Flower.	\$0	25	\$1 50	\$12.50	\$100.00
1	to 1½	n	• • •	40 75	2 50 4 00	22 50 37 50	
Azalea v	aseyi.	Southern 2	Azalea	40	2 50	22 50	
1	to 11/2	ft o 2 ft in	• • • •	60 75 25	3 50 5 00	32 50	
viscosa	6 to 12	in.	• • •	25	1 50 2 00	12 50 17 50	
į	to 11/2	t. clumps	***	75	5 00 6 00	40 00 50 00	350 00
Benzoin, h	to 2½ f	t. clumps .	i	25	10 00	80 00 12 00	
Betula len	to 3 ft.	in. ft. ft. clumps t. clumps t. clumps t. clumps ft. clumps to 2 ft 8 ft	• • •	25	1 50 2 00 3 00	15 00	
10	to 10 ft.			85	6 00		*
Calycanthe	s fertilis	2 to 3	ft.	25	2 00	15 00	
floridus	1 to 2	ft	• • •	15	75 1 25	6 00	
	to 4 It.	a (americai	32)	40	2 50	20 90	
4	to 6 ft			30 50	2 00	15 00 25 00	
8	to 10 f	t	1	70	- 5 00 8 00	40 00	
Çastanea î	pumila.	Chinkapin,				17 50	٠
2	to 3 ft.	Chinkapin,		40	3 00 4 50	25 00 40 00	
4	to 5 ft.	6 to 12 in		75	5 00 1 00	45 00	
1 2	to 2 ft.	6 to 12 in	• • •	25 35	1 50 2 50		•
Gnamaegai	nnne caiv	culata.		25	1 50	12 50	
Chlonanth	to 1½ fi	t	ft	35 · 15	2 00	8.00	
Clethra ac	uminata. per Bus	Southern P	ep-	20	1 00	8 50	
2	to 3 ft.	, , , , , , , , , , , , , , , , , , , ,		25. 75	1-50	12:50 35 00	
ainifolia	Sweet	ca. 1 to 2 Southern Ph. 1 to 2 ft	sh.	20	1 00	8 50	
1	to 2 ft.	ft, clump		35 60	2 00	17 50 37 50	
Comptonia	1/2 to 2 f	t. clumps	nlia)		5 00	45 00	
1	to 2:ft.	ft. clumps t. clumps a (asplenifo		25 10	1 50	12:50 4 00	30 00
Cornus am	omum (s	ericea).			1.00	8:50	30 00
florida.	6 to 12 i	n. S S.	,	10 15	50 75	4 50	
EVER	GREENS	ARE MAP	KED			STAR	(*)
		2.	4				

Catalog of HIGHLANDS NURSERY

DECIDUOUS AND EVERGREEN WOODY VINES (co	TREE	S, S	HRUBS	AND
To the state of th	o oh	10	100	1.000
Corylus americana, 1 to 2 ft	25 35 50 85	1 50 2 50 4 00	12.50	1,000
rostrata. 1 to 2 ft	20 35 75	1 00 2 00 5 00 1 50	8 00 15 00	70 00 125 00
Crataegus coccinea. 1 to 2 ft 2 to 3 ft	20 30 40	1 50 2 00 3 00 5 00	12 00	
2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft.	25 35 60	75	8 50 12 00 17 50	50 00
	20 26	1 00	8 50 12 50	. `
Dendrium prostratum.	. 66	3 00		-, -
3 to 6 in clumps	25 4	2 00	15 00	130 00
sessilifolia. 1 to 2 ft	40 25 25 40	3 00 L 50 2 00 3 00 2 00	15 00 25 00 12 00 16 00	130 00
3 to 4 ft	40 3 20 3	3 00 1 00	8 50 12 50	
		2 50		40.00
6 to 12 in. seedlings. 1 to 2 ft. seedlings 2 to 3 ft. seedlings 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	20 25 25 40 50	60 1 00 1 50 1 50 2 50 4 00 5 00	5 00 8 00 12 00 12 00 22 00	40 00
1 to 2 ft. clumps 2 to 3 ft. clumps 3 to 4 ft. clumps		1 75 2 50 3 50	15 00 20 00 30 00	
2 to 3 ft.	15 20 30	75 1 25 2 00	6 00	
densifiorum. 1 to 2 ft 2 to 3 ft	20 I	75 L 00	6 00 8 00	40 00
*prolificum. 6 to 12 in. seedlings 1 to 2 ft. S ilex decidua. 1 to 2 ft	15 30 2 25 1	75 2 00 1 50 2 00	$\begin{array}{ccc} 5 & 00 \\ 12 & 00 \\ 12 & 00 \end{array}$	40 00 90 00
2 to 3 ft. *prolificum. 6 to 12 in. seedlings 1 to 2 ft. S. ilex decidua. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. monticola. Mountain Holly.	35 2 50 3 75 8	3 00 5 00.	17 00 27 00	
1 to 2 ft	25 1 30 1 60 3 00 6	L 00 L 25 L 75 B 50	8.00 10 00 15 00 32 50 50 00	
*opaca. American Holly. 6 to 12 in.	40 2	2 50	20.00	180 00
1½ to 2 ft	75 4 25 8	8 00	27 50 37 50	
*opaca. American Holly. 6 to 12 in. 1 to 1½ ft. 1½ to 2 ft. 2 to 3 ft. 1 to 2 ft. 1 to 3 ft. clumps 2 to 3 ft. clumps 3 to 3 ft. clumps	30 . 2 30 1	00 2 00 1 75	7 00 15 00	
*Juniperus virginiana.	40 3	00		
6 to 12 in. 1 to 2 ft.	40 2	25	10 00 15 00	
KALMIAS (The Mo	untai	n La	urel)	
*Kalmia angustifolia. 6 to 12 in \$0 1 to 1½ ft	20 \$1 30 2	25 2 00	\$10 00 15 00	
*Kalmia latifolia. 3 to 6 in. 9 to 12 in.	10 20 25 1	50 00 50	4 00 8 50 12 50	30 00 75 00 100 00
1 to 1½ ft	35 2	00	18 00	160 00

Catalog of HIGHLANDS NURSERY

DECIDUOUS AND EVERGREEN TREES, SHRUBS AND WOODY VINES (continued)

*Kalmia latifolia. (continued)

I avoithou catechaei

	Each	10	100		1,000
1½ to 2 ft		4 00			325 00
1 to 1½ ft. clumps	1 00	6.50			550 00
1½ to 2 ft. clumps	1 75 3 00	12 50 25 00	100	00	

"COLLECTED" KALMIA LATIFOLIA. For prices and full information see pages 31 and 32.

*Leucothoe catesbaei.	Each	10	100	1.000
6 to 12 in	\$0 20	\$1 00	\$8 50	1,000 \$75 00
1 to 1½ ft	25 40	$\begin{array}{cccc} & 1 & 50 \\ & 2 & 75 \end{array}$	12 50 . 25 00	100:00
6 to 12 in clumps	50	3 00	27 50	225 00
1 to 1½ ft. clumps 1½ to 2 ft. clumps	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	4 00 6 50	$\frac{37}{62} \frac{50}{50}$	325 00
2 to 3 ft. clumps	1 50	12 00	100 00	
racemosa. 1 to 2 ft. clumps	25	2 00		
recurva. 6 to 12 in	40 20	$\frac{3}{1} \frac{00}{00}$	8 00	
1 to 2 ft	30	2 00	15 00	
Lonicera dioica. 3 to 4 ft	20	1 50	6 00	50 00
Japonica halliana. Light Strong	15 20	75 1 00	8 50	50 00 75 00
sempervirens. 1 to 2 ft	20 25	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	19.00	
Magnolla fraseri, 2 to 3 ft	75	1 50 4 00	12 00	
4 to 6 fttripetala, 3 to 4 ft	40	2 50	20 00	
Malus coronaria. Wild Fragrant 6 to 12 in. seedlings	Crab.	1 00	8 00	
1 to 9 ft goodlings	20	1 50	12 00	100 00
Menziesia pilosa. 1 to 2 ft. clumps 2 to 3 ft. clumps Myrica cerifera. 1 to 3 in. S. 3 to 6 in. S. gale, 6 to 12 in Nyssa multiflora, 6 to 12 in 1 to 2 ft. 2 to 3 ft.				
1 to 2 ft. clumps	35 60	2 00 3 50	17 50 30 00	
Myrica cerifera. 1 to 3 in. S	10	60	5 00	
3 to 6 in. S	$\begin{array}{c} 15 \\ 20 \end{array}$	1 50	6 00	
Nyssa multiflora, 6 to 12 in	20	1 00	8 00	
1 to 2 ft 2 to 3 ft	40 60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00	
2 to 3 ft	75	5 00		
Ostrya virginica. 1 to 2 ft.	20 35	$\begin{array}{ccc} 1 & 25 \\ 2 & 00 \end{array}$	10 00 17 50	
2 to 3 ft	50	3 00		
Oxygenurun arboreum, 6 to 12 III.	20	1 00	8 50	75 00
1 to 2 ft	25 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 25 \end{array}$	$\frac{12}{20} \frac{00}{00}$	90 00 180 00
3 to 4 ft	60	3 50	30 00	220.00
4 to 5 ft	1 00	$\frac{5}{7} \frac{00}{00}$	45 00 60 00	
*Picea englemanni.	0.5			00.00
6 to 12 in. S pungens. 6 to 12 in. S	05 05	50 50	4 00	30 00 30 00
pungens. 6 to 12 in. S 3 to 6 in. trans	10	75	6 00	50 00
*Pinus ausfriaca. 6 to 12 in	30	2 50	20.00	
1 to 1½ ft	50	4 00	30 00	
*banksiana (divaricata). 2 to 3 ft	30	2 00	16 00	
3 10 4 11	40	.2 50	20 00	
4 to 6 ft	75 1 00	5 00 6 00	30 00 50 00	200 00 300 00
*echinata. 6 to 12 in	35	3 00		
1 to 2 ft	45	4 00		
*flexilis. 3 to 6 in	20	1 50	10 00	40.00
*ponderosa. 3 to 6 in 6 to 12 in		75 75	5 00 6 00	40 00 50 00
1 to 2 ft	20	1 50	12 00	
*pungens. 6 to 8 ft		6 00	50 00	
*resinosa. 6 to 12 in. S 6 to 12 in. trans		1 00	7 00 16 00	60 00 120 00
*rigida. 3 to 4 ft/		3 00	- 27 50	
4 to 6 ft	60	5 00	45 00	20.000
6 to 8 ft	75 15	6 00	- 50 - 00	300 00
1, to 2 ft		1 50		
*Pseudotsuga douglasi (taxifolia)	. Dou	glas S	pruce.	
3 to 6 in	20 25	1 00 1 50	8 00 12 00	70 00 100 00
		3 00	20 00	
EVERGREENS ARE MARK	ED W	ITH A	STAR	(#)

Catalog of HIGHLANDS NURSERY

DECIDUOUS AND EVERGREEN TREES, SHRUBS AND WOODY VINES (continued)

RHODODENDRONS

### A STAN CONTRICT OF THE PROPERTY OF THE PRO	*Rhododendron carolini- Ea	ch	10	100	1,000
**Catawbiense. 3 to 6 in., heavy 20 1 00 8 50 75 00 6 to 9 in., heavy 25 1 50 12 50 100 00 9 to 12 in., heavy 25 1 50 12 50 100 00 9 to 12 in., heavy 25 2 00 18 00 12 50 100 00 1½ to 2 ft. clumps 150 10 00 93 00 750 00 1½ to 2 ft. clumps 200 16 00 335 00 1300 00 2 to 3 to 4 ft. clumps 70 60 00 375 00 4 to 5 ft. clumps 70 60 00 375 00 4 to 5 ft. clumps 70 60 00 375 00 4 to 5 ft. clumps 70 60 00 \$ 3 to 4 ft. clumps 70 60 00 \$ 3 to 12 in. 15 75 6 00 \$ 50 00 \$ 1 to 1½ ft. clumps 15 75 6 00 \$ 50 00 \$ 1 to 1½ ft 35 1 25 10 00 90 60 1 1½ to 2 ft 75 4 00 35 00 90 60 1 1½ to 2 ft 75 4 00 35 00 90 60 1 1½ to 2 ft 15 75 6 00 5 00 5 00 \$ 1 1½ to 2 ft 15 75 6 00 5 00 5 00 \$ 1 1½ to 2 ft 15 15 15 00 90 60 1 1½ to 2 ft 15 15 15 00 90 60 1 1½ to 2 ft 15 15 15 00 90 60 1 1½ to 2 ft 15 15 15 00 90 60 1 1½ to 2 ft 15 15 15 00 90 60 1 1½ to 2 ft 15 15 15 00 90 60 1 1½ to 3 ft 15 15 15 00 90 60 1 1½ to 3 ft 15 15 15 00 90 60 1 1½ to 3 ft 15 15 15 00 90 60 1 1½ to 3 ft 15 15 15 00 90 60 1 1½ to 3 ft 15 15 15 00 90 60 1 1½ to 3 ft 15 15 15 00 90 60 1 1½ to 3 ft 15 15 15 00 90 60 1 15 15 15 15 00 90 60 1 15 15 15 15 15 15 15 15 15 15 15 15 1	anum. 6 to 9 in. nur. grown. \$0 6 to 9 in. clumps 1 9 to 12 in 9 to 12 in clumps 1 1 to 1½ ft. clumps 1 1½ to 2 ft. clumps 3	40 00 60 50 75 00	\$2 50 7 00 4 50 10 00	\$22 50 65 00 40 00 90 00 110 00	

Strong S	3 to 6 in., heavy 6 to 9 in., heavy 9 to 12 in., heavy 1 to 1½ ft. clumps 1 1½ to 2 ft. clumps 2 2 to 3 ft. clumps 3 3 to 4 ft. clumps 5 4 to 5 ft. clumps 7	20 25 35 50 60 00 00	1 50 2 00 - 10 00 16 00 25 00 40 00	12 50 18 00 90 00 135 00 200 00	750 00 1300 00
the carload and by the thousand. For prices and full information see pages 31 and 32. Rhus aromatica (canadensis). Each 10 100 1,000 1 to 3 ft	*maximum. Rosebay.	15	75	6 00	50.00
the carload and by the thousand. For prices and full information see pages 31 and 32. Rhus aromatica (canadensis). Each 10 100 1,000 1 to 3 ft	3 to 6 in. 6 to 9 in. 9 to 12 in. 1 to 1½ ft. 1½ to 2 ft. 9 to 18 in. clumps. 1 1½ to 2 ft. clumps 1 2 to 3 ft. clumps 2 3 to 4 ft. clumps 4 4 to 5 ft. clumps 6	20 25 35 75 25 00 00	1 00 1 25 2 00 4 00 7 00 12 00 17 50 35 00	8 00 10 00 18 00 35 00 60 00 100 00 150 00	50 00 90 00 160 00 500 00
the carload and by the thousand. For prices and full information see pages 31 and 32. Rhus aromatica (canadensis). Each 10 100 1,000 1 to 3 ft	"Collected" Rhododendrons. I sup	ply	the fin	est "col	lected"
Rhus aromatica (canadensis). Each 10 100 1,000 1 to 3 ft	clumps of Rhododendron maximum the carload and by the thousand. F	and	d R. c prices	atawbie and ful	nse by
2 to 3 tt	mation see pages 31 and 32. Rhus aromatica (canadensis).	ach	10	100	1.000
2 to 3 tt	1 to 3 ft\$0	20	\$1 50	\$12 00	.,
Startland			1 75		
Startland	cotinoides. Southern Smoke Tree	40	2 50		
Startland	3 to 4 ft	50 00			
Typhina (Hirta): 1 to 2 ft	glabra. 2 to 3 It	20			
## 1 to 6 ft	4 to 5 ft.	40	3 00	25 00	
rotundifolium. 2 to 3 ft. 30 2 50 Robinia hispida. 1 to 2 ft. 20 1 00 8 00 kelseyl. 1 to 2 ft. 40 3 00 20 00 4 to 6 ft. 50 3 50 Rosa arkansana. 2 to 3 ft. 40 3 00 blanda. 1 to 2 ft. 40 3 00 blanda. 1 to 2 ft. 50 3 50 Carolina. 6 to 12 in. 5. 50 3 50 humillis. 6 to 12 in. 50 15 75 6 00 50 00 1 to 2 ft. 10 2 50 15 00 humillis. 6 to 12 in. 20 1 00 8 00 70 00 blanda. 1 to 2 ft. 25 1 50 rubiginosa. 1 to 2 ft. 25 1 50 rubiginosa. 1 to 2 ft. 25 1 50 Rubus canadensis. 1 to 3 ft. 15 75 6 00 50 00 Stuartla pentagyna. Southern Stuartia. 1 to 2 ft. 40 2 50 20 00 Stuartla pentagyna. Southern Stuartia. 1 to 2 ft. 40 3 50 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 0 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 10 00 6 50 60 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 00 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 50 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 0 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00	2 to 3 ft	25	1 50	12 00	
rotundifolium. 2 to 3 ft. 30 2 50 Robinia hispida. 1 to 2 ft. 20 1 00 8 00 kelseyl. 1 to 2 ft. 40 3 00 20 00 4 to 6 ft. 50 3 50 Rosa arkansana. 2 to 3 ft. 40 3 00 blanda. 1 to 2 ft. 40 3 00 blanda. 1 to 2 ft. 50 3 50 Carolina. 6 to 12 in. 5. 50 3 50 humillis. 6 to 12 in. 50 15 75 6 00 50 00 1 to 2 ft. 10 2 50 15 00 humillis. 6 to 12 in. 20 1 00 8 00 70 00 blanda. 1 to 2 ft. 25 1 50 rubiginosa. 1 to 2 ft. 25 1 50 rubiginosa. 1 to 2 ft. 25 1 50 Rubus canadensis. 1 to 3 ft. 15 75 6 00 50 00 Stuartla pentagyna. Southern Stuartia. 1 to 2 ft. 40 2 50 20 00 Stuartla pentagyna. Southern Stuartia. 1 to 2 ft. 40 3 50 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 0 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 10 00 6 50 60 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 00 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 50 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 0 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 20 01 15 00	Ribes cynosbati. 1 to 2 ft	30	$\frac{2}{2} \frac{50}{50}$	20 00	
Robinia hispida, 1 to 2 ft.	Z tO o 1t,		$\begin{array}{ccc} 3 & 50 \\ 2 & 50 \end{array}$		
Rosa arkansana, 2 to 3 ft	Robinia hispida, 1 to 2 ft		1 00		
Rosa arkansana, 2 to 3 ft	viscosa. 3 to 4 ft	35	2 00	20 00	
humilis. 6 to 12 in. 20 1 00 1 100 00 1 to 2 ft. 25 1 50 12 00 109 00 6 to 12 in. 15 1 00 8 00 100 00 100 100 100 100 100 10	Rosa arkansana. 2 to 3 ft	40	3 00		
humilis. 6 to 12 in. 20 1 00 1 100 00 1 to 2 ft. 25 1 50 12 00 109 00 6 to 12 in. 15 1 00 8 00 100 00 100 100 100 100 100 10	blanda, 1 to 2 ft carolina, 6 to 12 in. S		4.0		
humilis. 6 to 12 in. 20 1 00 1 100 00 1 to 2 ft. 25 1 50 12 00 109 00 6 to 12 in. 15 1 00 8 00 100 00 100 100 100 100 100 10	1 to 2 ft				50 00 70 00
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 to 4 ft	30	2 50		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 to 2 it	25	1 50	12 00	100.00
racemosus (pubens). 2 to 3 ft. 25 1 50 3 to 4 ft	6 to 12 in	15	1 00	8 00	100 00
racemosus (pubens). 2 to 3 ft. 25 1 50 3 to 4 ft	pitida. 6 to 12 in	$\frac{20}{30}$	1 75	15 00	
racemosus (pubens). 2 to 3 ft. 25 1 50 3 to 4 ft	rubiginosa. 1 to 2 ft. seedlings	20 15	1 50 75		50 00
racemosus (pubens). 2 to 3 ft. 25 1 50 3 to 4 ft	laciniatus. 1 to 2 ft	25 15	2 00		
3 to 4 ft	Gambacus canadensis, 8 to 1 terri		_ 00	0 00	
Stuartia pentagyna. Southern Stuartia. 1 to 2 ft. 40 2 50 20 00 2 to 3 ft. 75 4 00 35 00 3 to 4 ft. 1 00 6 50 60 00 4 to 5 ft. 2 00 15 00 Symphoricarpus occidentalis. 1 to 2 ft. 30 2 00	racemosus (pubens). 2 to 3 ft.			20 00	
2 to 3 ft	Stuartia pentagyna. Southern Stuar	rtia.	2 50	20.00	
Symphoricarpus occidentalis. 1 to 2 ft	1 to 2 it	75	4 00	35 00	
Symphoricarpus occidentalis. 1 to 2 ft	3 to 4 ft			60 00	
	Symphoricarpus occidentalis.	30	2 00		
	EVERGREENS ARE MARKED			STAR	(*)

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of HIGHLANDS NURSERY

DECIDUOUS AND EVERGREE			HRUBS	AND
WOODY VINES	Eac	h 10	100	1,000
Tecoma capreolata (crucigera)	2		8 00	60 00
grandiflora. Strong	. 6	0 4 00		-
radicans. Strong	2	0 1 00		
Tilla americana. 2 to 3 ft	2	0 1 00	8 00	
HEMLO	CK	2		
*Tsuga canadensis. Canadi	lan H Eac		100	1,000
6 to 12 in	2	0 1 25	10 00	90 00
1 to 1½ ft	5		12 50 27 50	110 00
2 to 3 ft	1 0	0 6 00	50 00	
3 to 4 ft	1 50 2 0		90 - 00	
5 to 6 ft			150 00 250 00	
6 to 7 ft	3 50 6 00	50 00	450 00	
	8 00 10 00			
*Tsuga caroliniana. Carolini				
- I temioc			۳ ۵۵	40.00
3 to 6 in, transplanted	20		5 00 8 00	40 00.
		6 00	50 00	
1 to 1½ ft	1 00			
2 to 3 it	2 0	15 00		
3 to 4 ft	6 0			
5 to 6 ft	9 0	80 00		
6 to 7 ft		120 00		
8 to 10 ft	20 00			
Vaccinium erythrocarpon.				
6 to 12 in	38 50			
*macrocarpum. American Cra				
Clumps	1		5 00	40 00
pallidum. 6 to 12 in	30		17 50	
1 to 2 ft	46 66		30 00	
2 to 3 ft. clumps pennsylvanicum. 3 to 6 in	80	6 00	50 00	
stamineum. 1 to 1½ ft	3(
1 to 1½ ft. clumps	28 50		16 00 30 00	
1½ to 2 ft. clumps	73	5 00	40 00	
2 to 3 ft. clumps Viburnum acerifolium, 6 to 12 in.	1 00		F 00	
1 to 2 ft	20		5 00 10 00	
2 to 3 ft	3(18 00	
alnifolium. 1 to 2 ft	30		00.00	
3 to 4 ft	4(78		20 00	
4 to 5 ft	1 00			
Viburnum cassinoides.				
6 to 12 in	20		8 00	
1 to 2 ft	25 30		12 00	
3 to 4 ft. clumps	75		15 00 37 50	250 00
4 to 6 ft. clumps 6 to 8 ft. clumps	1 00	6 00	50 00	
dentatum, 1 to 2 ft	1 50		10.00	
Z to 3 it, clumps	35	3 00	10.00	
4 to 5 It, clumps	75	6 00		
opulus (oxycoccus). 1 to 2 ft.	20 30		10 00	
4 to 6 ft,	50			
Wisteria chinensis alba.				
6 to 12 in.	25		15 00	
	Tellov Root.	,		
3 to 6 in	10		4 00	30 00
6 to 12 in. 1 to 1½ ft.	15 20	75	5 00	40 00
3 to 6 in. clumps	20	1 00	7 00 6 00	60 00 50 00
6 to 12 in. clumps	25	1 25	8 00	70 00
3 to 6 in. clumps 6 to 12 in. clumps 1 to 1½ ft. clumps 1½ to 2 ft. clumps	35 50	2 50 4 00	18 00 30 00	150 00
Aoiisma ligustrina, 1 to 2 ft	-20	1 50	12 00	
EVERGREENS ARE MARKE	D W	ITH A	STAR	(*)
28				` ′

Catalog of HIGHLANDS NURSERY

HARDY HERBACEOUS PERENNIALS, VINES. AQUATICS, FERNS, ORCHIDS, LILIES AND BULBOUS PLANTS

	Ea	ach	10	100	1,000
Aconitum uncinatum		20	1 00	8 00	
Actaea alba		30	1 75	16 00	
Allium cernuum		20	1 25	10 00	
tricoccum		20	1 00	0.00	
Amsonia amsonia. Clumps Aralia nudicaulis	* * * *	20 15	1 00 75	8 00	
Archangelica hirsuta		15	75	6 00	
Archangelica hirsuta Arisaema triphyllum		20	1 00	8 00	5.00
Artemisia gracilis		40	2 50		
	+110	20	1 00		
Asters, in variety—acumina conditolius, ma					
phyllus, punic	eus,		:		
umbellatus		20	1 00	8 00	70 00
Bicuculla (Dicentra) eximia Cacti, Hardy Species Cacti		20	1 25	10 00	
missouriensis. On	un-				
tia arenaria, Opui	ntia				
camanchica, Opur major, Apuntia r					
sacantha cymoc					
Opuntia mesacai	ntha				
greeni, Opuntia p antha	oly-	0.5	- 00	25 00	
		85	5 00	35 00	
Caltha leptosepala. Marsh M.	ary-				
gold		25	1-50		
Campanula divaricata		20	1 00	10.00	80 00
*Carex fraseri		20 20	1 25 1 00	10 00 8 00	70 00
IVONI		20	1 00	8 00	70 00
Chamaelirum luteum Cicuta maculata		20	1 00	8 00	70 00
Cicuta maculata		20 20	1 00	8 00	70 00
Cimicifuga americana		15	75	6 00	50 90
Clematis crispa		40	2 75	20 00	153.0
Clematis crispavirginiana		20	1 00	6 00	
Vitalba	1111 -	30 15	1 75	16 00 6 00	
*Clintonia umbellata Collinsonia canadensis		15	75	6 00	
Convallaria majalis		15	75	5 00	0.00
Convallaria majalis Coreopsis lanceolata		15	75	6 00	
major		15 20	1 00	6 00 8 00	
verticillata		20	1 00	8 00	
Cypridedium acaule. Light.		15	75	5 00	40 00
Strong		20 15	1 25 75	10 00 5 00	70 00 40 00
hirsutum. Light		20	1 25	10 00	80 00
Dionaea muscipula. Venus'	Fly-				
trap		20	$\frac{1}{1} \frac{00}{00}$	8 00	
Dioscorea viilosa Disporum lanuginosum		20 20	1 00 1 25	9 00	
Diphillela cymosa		20	1 25	10 00	
*Epigaea repens. Trailing Ar	butus.	40	0 ~ 0	00 50	
Established clumps		40 25	2 50 1 50	22 50 12 00	100 00
"Collected" clumps		10	50	2 00	
alhidum		10	70		
Eupatorium ageratoides		20 20	1 25 1 25	10 00 10 00	
perfoliatum		25	1 50	12 50	A
Euphorbia corollata		20	1 00	8 00	
Ferns, Hardy Nativ	o Sn	ecia	20		2 15
rems, maruy many	E SP	ach	10	100	1,000
Adiantum pedatum	\$0	20	\$1 25	\$10 00	A
Asplenium filix-foemina	****	20	1 00	8 00	
*Botrychium virginianum		20 20	1 00	8 00 7 00	
		20	1 00	8 00	
goldieana		20	1 25	10 00	
*marginalis		20	1 00	8 00 8 00	60 00
noveboracensis *spinulosa		20 20	1 00	8 00	60 00
Onoclea sensibilis		20	1 00	8 00	
Osmunda cinnamomea, clay	ton-			*0 00	100.00
lana and regalis.		25 20	1 50	12 00 8 00	100 00
*Polypodium Vulgare		15	75	6 00	35 00
EVERGREENS ARE MA	RKED			STAR	(*)
	29				715.3
	. 7				

Catalog of HIGHLANDS NURSERY

HARDY HERBACEOUS PERE	NNIA	LS (continu	ed)	100
Pterls aquilina	lach	10	100	1,0	
*Galax aphylla Established clumps "Collected" clumps	15	75	5 00	30	00
clumps	25 20	1 50	12 00		00
Gaultheria procumbens. Clumps	25	$\frac{1}{1} \frac{00}{50}$	8 00 10 00	90	00
Gillenia. See Porteranthus.					
Strong	15	1 00	5 00 6 00		00
Habenaria ciliaris	20	1 00	8 00		
Helianthus strumosus	20 20	$\frac{1}{1} \frac{00}{00}$	8 00 8 00		
Mepatica acutiloba	20	1 00	8 00		M
Heuchera americana and villosa Houstonia purpurea and serpylli-	20	1 00	8 00		
tolla	15	75	6 00	40	00
Humulus lupulus *Iris cristata	$\frac{20}{25}$	1 00	8 00	80	00
missouriensis	25	1 50	12 00	80	00
*verna. Clumps	$\frac{20}{25}$	$\frac{1}{1} \frac{00}{50}$	8 00 10 00		
versicolor	20	1 00	8 00		
Lacinaria (Liatris) spicata	$\frac{20}{20}$	1 00	8 00		
Lilies		2 00			
Lilium canadense. Wild Yellow Lily.					
2nd size	10	60	5 00		
1st size	20	1 00	7 00		
2nd size	20	1 00	7 00	100	
1st size	25	1 25	10 00		
let size	$\frac{20}{25}$	$\frac{1}{1} \frac{00}{25}$	$\frac{6}{10} \frac{00}{00}$	50 80	
superbum, Turk's-Cap Lily.					+ 11
3rd size	10 15	40 75	2 00 5 00	18	00
Limodorum (Calopogon) tuberosum.	20	1 00	8 00		00
	20	1 00	8 00		
Strong	25	1 50	12 00		
Menispermum canadense. Moon-	20	1 00	8 00		
seed	15 25	75	6 00		18
Mitchella repens. Clumps Monarda didyma Orontium aquaticum	20	$\frac{1}{1} \frac{50}{25}$	10 00 10 00		
Panax (Aralia) quinquefolium.	25	1 50			
3rd size		60	5 00	35	00
2nd size		85 1 25	7 50	65	00
Physostegia virginiana	15	1 25 75	10 00 6 00	90	00
Podophyllum peltatum Polygonatum biflorum	15 15	75	6 00		
commutatum	20	1 00	6 00 8 00		
Porteranthus (Gillenia) stipulacea	20 20	1 00	8 00 8 00		
Sanguinaria canadensis. Bloodroot.			8 00		
*Potentilla tridentata	15	75	6 00	36	00 -
entirely at consignee's risk.					
*Sarracenia flava	30 25	1 75 1 50	15 00 12 00		
michauxi	25	1 50			
*Shortia galacifolia. 2nd size	20 35	$\frac{1}{2} \frac{00}{00}$	8 00 18 00		
1st size	75	4 00	35 00		
Silene stellata	20 20	1 00	8 00 10 00		
Solidago canadensis, bootti, erec-			20 00		
ta, glomerata, odora, pallida, patula, rugosa					
and pubens	20	1 00	8 00	65	00
Stachys aspera	50 10	3 00	20 00 5 00		
Steironema ciliatum, quadrifoli-					
stenanthium robustum. Moun-	15	75	6 00		
tain Feather Fleece.	0.0	4 00			
2nd size	20 25	1 00	8 00 12 50	100	00
1st size	50	3 00	26 00	200	
Thermopsis caroliniana, Strong,	20 20	1 00	8 00 8 00		
Light	10	60	5 00		
Tradescantia montana	20 10	1 00	8 00 3 00	1.8	00
1st size	15	75	5 00	30	
EVERGREENS ARE MARKED	WIT	HA	STAR	(*)	

HARDY SPECIMEN KELSEY'S EVERGREENS

Catalog of HIGHLANDS NURSERY

Trillium erectum var. album.	Rach	10	100		1.00	10
Strong	20	1 00		00	2,00	
undulatum. 2nd size		60	4	00	30	00
1st size	15	60		50	20	00
recurvatum	15	75	6	00	50	00
stylosum. 2nd size	10	60	4	00	30	00
1st size	15	75	6	00	50	00
undulatum, 2nd size	10	60	4	00	30	00
1st size	15	75	6	00	40	00
Uvularia perfoliata and sessili-			150M			
folia	20	1 00	8	00		
Vinca minor. Strong		1 00	8	00		
Viola canadensis		1 00				
cucullata	20	1 00	8	00		
pedata	20	1 00	8	00		
pedata bicolor		1 75	14	00		
rotundifolla		1 00	8	00		
sagittata	20	1 00				
*Xerophyllum asphodeloides		2 00	15	00		
Yucca filamentosa, 2 yr. S		40	3	00	20	0.0
*flaccida		1 00	8	00	60	0.0
*glauca	25	1 50	12	50		

RHODODENDRONS and MOUNTAIN LAUREL

"COLLECTED" CLUMPS BY THE CARLOAD

Delivered at your station. To be shipped from point determined by me.

For the area covered and effect produced, a carload of Rhododendrons or Kalmias, offered below, is the cheapest landscape proposition offered. I ship an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept cheap stock, thrown into cars without burlaping, and with the fine, hair-like rootlets inevitably exposed. You will be disappointed and find it expensive in the end. While fine results may be had from "collected" Rhododendrons, particularly if purchased from a reliable source where greatest care is used in digring and handling. rately. Don't accept cheap special relations and with the fine, hair-like rootlets inevitably exposed. You will be disappointed and find it expensive in the end. While fine results may be had from "collected Rhododendrons, particularly if purchased from a reliably source, where greatest care is used in digging and handling results are never so sure as when nursery-grown stock in

Rhododendron catawbiense "Collected"

Each plant collected from the open. Prices, delivered f. o. b.
your station, if east of the Mississippi river.
Car containing 200 clumps, 1 to 3½ ft., for\$280 00
Car containing 300 clumps, 1 to 3½ ft., for 380 00
Car containing 400 clumps, 1 to 3½ ft., for 480 00
Car containing 600 clumps, 1 to 3½ ft., for 600 00
Other combinations and sizes quoted on request.

Rhododendron maximum "Collected"

Rhododendron maximum and R. catawbiense

"Collected" Clumps by the Carload
Mixed cars, delivered free at any station east of the sissippi River. Car containing 150 maximum and 150 tawbiense, collected as above. 1½ to 4 ft., clumps,—of 300—for \$400. Car containing 250 maximum and 250 tawbiense 1½ to 4 ft., clumps,—total of 500—for \$550. Misclumps,—total

Kalmia latifolia (Mountain Laure)

"Collected" Clumps by the Carload Highest-class clumps collected from the open, do free at your station, if east of the Mississippi River. delivered

IT IS THE YOUR CLUMPS BURLAPED. ONLY PROPER WAY TO HANDLE SPECIMEN PLANTS. SEE NEXT PAGE FOR COST.

EVERGREENS ARE MARKED WITH A STAR (*)

Catalog of HIGHLANDS NURSERY

Car containing 400 clumps, 1 to 3½ ft. for \$375. Kalmia may be added to help fill any Rhododendron car at 90 cts. per clump, not less than 100 clumps in shipment.

The above "Carload" offers are made with a view of

furnishing a variety of sizes that will permit of naturalistic

grouping

grouping.

"Collected" Rhododendrons and Kalmia by the 100 and 1,000. The number that may be shipped in a car varies largely, depending on sizes. The minimum weight allowed per car is 16,000 lbs., with a freight rate from my Highlands Nursery to Baltimore of \$84, New York \$88, and Boston \$96.

A car may easily be loaded much heavier, with proportionate increased freight charge, but not increasing the cost

per plant.

A full car travels safer than one with a small load.

All "Clumps" offered below are collected with a good ball and are burlaped separately.

PRICES OF "COLLECTED" CLUMPS OF RHODODENDRONS AND KALMIAS

B. C. C. C.		211111		
Rhododendron catawbiense.	Each	10 100	1.00	10
1 to 2 ft. "collected" cl.	\$1 50 \$10	00 . \$80	00 \$700	
2 to 3 ft. "collected" el.	2 00 15		00 1000	00
3 to 4 ft, "collected" cl.		00 220		0.5
4 to 5 ft. "collected" cl.	5 00 40	00 350		120
maximum. The Great America	n Roseb	av.	0.0	
1 to 2 ft. "collected" cl.			00 650	00
2 to 3 ft. "collected" cl.		50 100		
3 to 4 ft. "collected" cl.	2 75 20	00 160		
4 to 5 ft. "collected" cl.	4 00 30		00 2500	
5 to 6 ft. "collected" cl.	6 00 50	00 400		00
6 to 7 ft. "collected" cl.	8 00 65	00 540		
Kalmia latifolia. Mountain Laure	1.	00 010	00	
1 to 2 ft. "collected" cl.	7	00 60	00 550	00
2 to 3 ft. "collected" cl.	1		00 850	
3 to 4 ft. "collected" cl.	1	7 50 150		00

TERMS

TERMS cash, or sa satisfactory references from unlue the first of each month, unlue the first of each month, unlue to at 10 rates; 50 at 100 rates; unknown parties. Accounts dispecial arrangement. 1,000 rates. 500 at

PHICES QUOTED are for grades as specified, selection an extra charge is made to fit the v plants. For extra value of

plants.

SEND FOREIGN REMITTANCES by Postal Money Order, drawn on Salem, Mass., post office; or by New York or Boston Exchange. An American dollar equals four shillings, four marks or five francs.

PACKING CHARGES FREE at prices in this catalog for shipment by freight or express. Team and auto delivery to North Shore or Boston points at net cost.

and auto delivery.

BURLAPING

It always pays to burlap the larger sizes of trees and shrubs, especially evergreens, even if planted the same day. No charge is made for burlaping single plants as quoted. Otherwise burlaping is charged as follows:

2 to 3 ft. clumps and trees 5 cents each
3 to 4 ft. clumps and trees 7 cents each
4 to 6 ft. clumps and trees 8 cents each
6 to 8 ft. clumps and trees 10 cents each
and larger sizes in proportion. In car lots of Rhododendrons and Kalmias a uniform charge of 5 cents each will be made. Unless instructed to the contrary, I assume customers desire proper burlaping, which will be added to the invoice.

GUARANTEE

No guarantee, expressed or implied, is made that stock will row whether planted by me or not. Having no control over after treatment of plantings, or ver weather conditions, it is obvious that purchaser must sume all responsibility after delivery in good condition, All shipments travel at consignee's risk, and transportation impanies must be held liable for damage in transit. Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part it will gladly be settified. over assume

companies

Claims there is rectified. ANDSCAPE

LANDSCAPE FORESTRY. Evergreen seedlings and transplants in large quantities are grown at both nurseries in the choicest species. We do Landscape Forestry, treating woodlands from a Landscape standpoint as well as for commercial uses. Mr. Kelsey is open for consultations and engagements. Always address, FORESTRY.

HARLAN P. KELSEY, Owner Office, 287 Essex St. Telephone Connection SALEM, MASS.